










The R&A, St Andrews

Effective January 21, 2008









Manufacturer	Product Name	Lofts	Identification Markings
Action International	Bio-Power Bio Dream 360	Strong, Mild, Soft	<p>Sole: BIO POWER, (dual line) 360 (dual line), MILD, AS ROLL β-TITANIUM, CUSTOM MADE BY MSG, BIO DREAM</p> <p>Crown: (arrow alignment mark)  View Photo</p>
Acushnet Japan, Inc.	Titleist 975 J-VS H-CR	7.5°, 8.5°, 9.5°, 10.5°, 11.5° (click "view photo" for conforming version)	<p>Sole: (loft), Titleist, (elongated triangle) (elongated triangle), PRO-TITANIUM, 975J-VS</p> <p>Face: H-C_R</p> <p>Crown: (triangle and line alignment mark)  View Photo</p>
Acushnet Japan, Inc.	Titleist 975 L-FE H-CR	7.5°, 8.5°, 9.5°, 10.5°, 11.5° (click "view photo" for conforming version)	<p>Sole: (loft), Titleist, (elongated triangle) (elongated triangle), PRO-TITANIUM, 975L-FE</p> <p>Face: H-C_R</p> <p>Crown: (triangle and line alignment mark)  View Photo</p>
Acushnet Japan, Inc.	Titleist 983K H-CR	8.5°, 9.5°, 10.5°, 11.5° (click "view photo" for conforming version)	<p>Sole: (loft), Titleist, (segmented triangle) (segmented triangle), TITANIUM 983K, H-C_R</p> <p>Crown: (triangle and line alignment mark)  View Photo</p>
Acushnet Company	King Cobra 400 SZ Tour Unlimited	8.5°, 9.5° (click "view photo" for conforming version)	<p>Sole: (loft), KING, cobra, 400 SZ, TOUR UNLIMITED, (nine punchmarks), 33.8 CM² SWEET ZONE/HI-COR, MILLED, TITANIUM</p> <p>Crown: (Cobra logo alignment mark)  View Photo</p>
Acushnet Company	King Cobra 400 SZ Unlimited	7.5°, 9.0°, 10.5°, 12.0° (click "view photo" for conforming version)	<p>Sole: (loft), KING, cobra, 400 SZ, UNLIMITED, (nine punchmarks), 33.8 CM² SWEET ZONE/HI-COR, MILLED, TITANIUM</p> <p>Crown: (Cobra logo alignment mark)  View Photo</p>
Acushnet Company	King Cobra 414 Comp Unlimited	7.5°, 9.0°, 10.5°, 12.0° (click "view photo" for conforming version)	<p>Sole: (loft), COMPOSITE TOP, KING, cobra, 414 COMP, UNLIMITED, 35.0 CM² SWEET ZONE/HI-COR, MILLED, TITANIUM</p> <p>Crown: (Cobra logo alignment mark)  View Photo</p>
Acushnet Company	King Cobra 454 Comp	7.5°, 9.0°, 10.5°, 12.0°	<p>Sole: (loft), COMPOSITE TOP, KING, cobra, 454 COMP,</p>

	Unlimited	(click "view photo" for conforming version)	UNLIMITED, 41.0 CM ² SWEET ZONE/HI-COR, MILLED, TITANIUM Crown: (Cobra logo alignment mark) ☐ View Photo
Acushnet Company	King Cobra HS9 F/ST 460 (Version 1)	9° (RH Only) (click "view photo" for conforming version)	Sole: (shield insert), (loft), (line), F/ST, KING, cobra, HS9, (shield insert) Toe: F/ST SPEED RANGE 125-155 mph Crown: (Cobra logo alignment mark) ☐ View Photo
Acushnet Company	King Cobra Unlimited SS 370 (Version 1)	7.5°,9°,10.5°,12° (click "view photo" for conforming version)	Sole: (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, .860 C.O.R. / 26.0 CM ² SWEET SPOT Crown: (Cobra logo alignment mark) ☐ View Photo
Acushnet Company	King Cobra Unlimited SS 370 (Version 2)	7.5°,9°,10.5°,12°	Sole: (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, .860 C.O.R. / 27.0 CM ² SWEET SPOT Crown: (Cobra logo alignment mark) ☐ View Photo
Acushnet Company	King Cobra Unlimited SS 370 (Version 3)	7.5°,9°,10.5°,12° (click "view photo" for conforming version)	Sole: (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, HI-C.O.R. / 26.0 CM ² SWEET SPOT Crown: (Cobra logo alignment mark) ☐ View Photo
Acushnet Company	King Cobra Unlimited SS 370 (Version 4)	7.5°,9°,10.5°,12°	Sole: (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, HI-C.O.R. / 27.0 CM ² SWEET SPOT Crown: (Cobra logo alignment mark) ☐ View Photo
Acushnet Company	King Cobra Unlimited SS 430	7.5°,9°,10.5°	Sole: (loft), KING, cobra, UNLIMITED SS, (line), 430, BETA TITANIUM, HI-C.O.R. / 27.0 CM ² SWEET SPOT Face: DAT 55G+ Crown: (Cobra logo alignment mark) ☐ View Photo
Acushnet Company	King Cobra Unlimited SZ 440	7.5°,9°,10.5°, 12°	Sole: (loft), KING, cobra, 440 SZ, UNLIMITED, (nine punchmarks), 37.7 CM ² SWEET ZONE/HI-COR, MILLED TITANIUM Crown: (Cobra logo alignment mark) ☐ View Photo
Adams Golf	GT 363-R	9°,10°,11°	Sole: (triangle logo), ADAMSGOLF, (line), GT (dot), TITANIUM 363-R, TIGHT LIES, (loft)

				<p>Face: .860, STANDARD Crown: (triangle alignment mark) <input type="checkbox"/> View Photo</p>
akia Golf Co.	Dream Tour SV-400 Tour Spec	9°		<p>Sole: DR, Dream Tour, SV-400 (curved line), akia, (line), TOUR SPEC, (circular weight), (circular weight), (loft) Toe: DREAM (w/ triangle in M), TOUR <input type="checkbox"/> View Photo</p>
Akira Products Co., Ltd.	Akira 375 L.C.R.	9°		<p>Sole: (Akira logo) AKIRA, 375, (loft) L.C.R., (line), FORGED Toe: (Akira logo) <input type="checkbox"/> View Photo</p>
Akira Products Co., Ltd.	Akira 400 L.C.R.	10°		<p>Sole: (Akira logo) AKIRA, 400, (loft) L.C.R., (line), FORGED Toe: (Akira logo) <input type="checkbox"/> View Photo</p>
Akira Products Co., Ltd.	Akira 425 L.C.R.	11°		<p>Sole: (Akira logo) AKIRA, 425, (loft) L.C.R., (line), FORGED Toe: (Akira logo) <input type="checkbox"/> View Photo</p>
Akira Products Co., Ltd.	Akira 415 Forged Titanium	10°		<p>Sole: (Akira logo) AKIRA, (line), 415, (vertical line), FORGED TITANIUM <input type="checkbox"/> View Photo</p>
Akira Products Co., Ltd.	Akira 425 Forged Titanium	11°		<p>Sole: (Akira logo) AKIRA, (line), 425, (vertical line), FORGED TITANIUM <input type="checkbox"/> View Photo</p>
AMC Co., Ltd.	Decatan -Z-	10.5°		<p>Sole: 1 (loft), DECATAN -Z-, 460 TANJYAKU, FORGED TITAN, a.m.c. <input type="checkbox"/> View Photo</p>
AMC Co., Ltd.	Charger X'-II	10.5°		<p>Sole: 1 (loft), a.m.c, CHARTER X'-II, EASY TO HIT, 460-Ti Face: 15.3.3.3 <input type="checkbox"/> View Photo</p>
Amer Sports UK Ltd.	Wilson Deep Red Forged Ti 400	10.5°		<p>Sole: (W logo), DEEP RED, TI, FORGED, 400, (line), (loft) <input type="checkbox"/> View Photo</p>
Ashton Golf, LLC	X-1 455	6.5°,7.5°	(click "view photo" for conforming version)	<p>Sole: (loft), ((ASHTON, X₁) over blasted AG logo), Moly Titanium Crown: (AG logo alignment mark) <input type="checkbox"/> View Photo</p>
AT Golf, Inc.	H·R·G 2	9°		<p>Sole: TURBO-POWER™ (logo), H·R·G 2, (loft), FORGED TITANIUM, TRUE FACE DENSITY, T·F·D, SERIES Crown: (alignment arrow) <input type="checkbox"/> View Photo</p>
AT Golf, Inc.	Turbo-Plus™ TM 588	9.5°		<p>Sole: (oval graphic) TURBO-PLUS™, TM588 (line under 88), (loft) Crown: (alignment arrow) <input type="checkbox"/> View Photo</p>

Bang Golf	Big Big Bang 525cc	6°,9°,10°	Sole: BANG(registered trademark symbol), GOLF, 525, BIG BIG BANG, 1 (loft), SP700, eW, BETA TITANIUM ☐ View Photo
Bang Golf	Dark Matter 400 Cryo eW	4°,5°,6°	Sole: BANG, GOLF, DARK MATTER, 400, Cryo eW Titanium, (loft) ☐ View Photo
Bang Golf	Bang-O-Matic	7.5° (click "view photo" for conforming version)	Sole: BANG®, GOLF, BANG-O-MATIC BANG-O-MATIC (target graphic), (loft w/o degree symbol), FA, SYSTEM (in recessed rectangle) ☐ View Photo
Bridgestone Sports Co., Ltd.	Access VP-02	10.5°,11.5°,12.5°	Sole: 1, ·, ACCESS, HI-DRAW, (sideways S) VP-02 (sideways S), DESIGNED BY, YUJI NUMAZAWA, BRIDGESTONE, (HI-DRAW CONCEPT and HD logo on oval insert) Back: ··HYPER ARROW SOLE·· Crown: (alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Access VP-X	10.5°,11.5°,12.5°	Sole: 1, ·, ACCESS, vp-x, (...Y.N DESIGN... on oval), (HI-DRAW CONCEPT and HD logo on oval insert) Crown: (alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Beam SD+	9°,10°,11°	Sole: BEAM (inset in oval), STREAM SOLE, (large punchmark), 1, (loft), (SD+ in triangular recess) Back: Bridgestone Crown: (arrow alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Beam CL	12°,13°	Sole: (BEAM inset in oval), STREAM SOLE, (large punchmark), 1, (loft), (CL in triangular recess) Back: Bridgestone Crown: (arrow alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Beam CL HR	12°,13°	Sole: (loft) 1, BEAM CL, (line), BRIDGESTONE, (line) BEAM'S IDEAL (line), FULL SWEET SPOT, DESIGN, 360HR Crown: (alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Beam Z HR	9.5°,10.5°	Sole: (loft) 1, BEAM Z, (line), BRIDGESTONE, (line) BEAM'S IDEAL (line), FULL SWEET SPOT, DESIGN, 430HR Crown: (alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Break The Mode Joe Spec.	10°	Sole: B::M, BREAK THE MODE, JOE SPEC. , FORGED TITANIUM, DRIVER, LOFT, (loft) (loft is surrounded by 3 triangles) Back: BRIDGESTONE ☐

				View Photo
Bridgestone Sports Co., Ltd.	Newing NS-03 EZ-Drive	9°,10°,11°		Sole: 1, LOFT (loft), Newing, NS-03, Bridgestone, EZ-DRIVE Crown: (arrow alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Newing EZ-Drive 501D	9.5°,10.5°		Sole: Newing, EZ-Drive, 501-D, 1, LOFT (loft) Back: BRIDGESTONE Crown: (arrow alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage MR-23 US Spec.	10°	(click "view photo" for conforming version)	Sole: DRIVER, LOFT (loft), TOURSTAGE, MR-23, (diamond), U.S. SPEC., BRIDGESTONE Back: AS-ROLLED, NEO B TITANIUM, FACE ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage MR-23 US Drive	9.5°,10.5°	(click "view photo" for conforming version)	Sole: (Bridgestone logo), TOURSTAGE, MR-23, (diamond), U.S. DRIVE, DRIVER, (loft) Back: BRIDGESTONE Toe: (Bridgestone logo) TOURSTAGE ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage RV-10 Type 330	9°,10°	(click "view photo" for conforming version)	Sole: TOURSTAGE, ATHLETE SPIRIT, RV-10, -TYPE 330-, BRIDGESTONE, DRIVER, (loft), (V mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage RV-10 Type 360	9°,10°,11°	(click "view photo" for conforming version)	Sole: TOURSTAGE, ATHLETE SPIRIT, RV-10, -TYPE 360-, BRIDGESTONE, DRIVER, (loft), (V mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage RX-1 Type 275 Prospec	8°,9°	(click "view photo" for conforming version)	Sole: TOURSTAGE, ATHLETE SPIRIT, PROSPEC, -RX-1 TYPE 275-, 1, BRIDGESTONE Back: LOFT, (loft), (arrow graphic) Toe: (Bridgestone logo) ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage Synergy	9.5°,10.5°,12.5°		Sole: TOURSTAGE, SYNERGY, FOUR PIECE, CONSTRUCTION, (loft), (circular weight insert) Back: BRIDGESTONE ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage Synergy Deep	9.5°		Sole: TOURSTAGE, SYNERGY, (two dots) DEEP (2 dots), (loft), (circular weight insert) Back: BRIDGESTONE, FOUR PIECE, CONSTRUCTION ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage Synergy 420	9.5°,10.5°,11.5°		Sole: OPTIMUM CONSTRUCTION, SYNERGY, 1, (loft) (Bridgestone on insert) Toe: (Tourstage logo), TOURSTAGE ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage Synergy 460	10.5°		Sole: 460, OPTIMUM CONSTRUCTION, SYNERGY, 1, (loft) (Bridgestone on insert)

			<p>Toe: (Tourstage logo), TOURSTAGE  View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage V700	8°,9°,10°,11°	<p>Sole: (curved line and triangle logo), TOURSTAGE, ATHLETE SPIRIT, V700, GRAVITY CONTROL DESIGN, BRIDGESTONE, 1 Back: AS-ROLLED, NEO β TITANIUM, LOFT (loft), DELTA SOLE  View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage V800	9°,11°	<p>Sole: (curved line and triangle logo), TOURSTAGE, ATHLETE SPIRIT, V800, GRAVITY CONTROL DESIGN, 1 (in circle), MOON SOLE Back: BRIDGESTONE, (circular weight insert), SAT-2041, β TITANIUM FACE, LOFT (loft)  View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage V34 CL	12.5°,13.5°	<p>Sole: TOURSTAGE, V34 (line under 34), CL, BRIDGESTONE, (loft) Back: (three circular weight inserts with three punchmarks) Toe: (Bridgestone logo), TOURSTAGE Crown: (V alignment mark)  View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage V36	9.5°,10.5°,11.5°,12.5°	<p>Sole: TOURSTAGE, V36 (line under 36), BRIDGESTONE, (loft) Back: (three circular weight inserts with three punchmarks) Toe: (Bridgestone logo), TOURSTAGE Crown: (V alignment mark)  View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage V40	9.5°,10.5°,11.5°,12.5°	<p>Sole: TOURSTAGE, V40 (line under 40), BRIDGESTONE, (loft) Back: (three circular weight inserts with three punchmarks) Toe: (Bridgestone logo), TOURSTAGE Crown: (V alignment mark)  View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage ViQ (HR)	9.5°,10.5°,HT	<p>Sole: (Tourstage logo), TOURSTAGE, ViQ, (loft), (circular weight insert) Heel: BRIDGESTONE Crown: (V alignment mark)  View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage ViQ CL	12.5°,13.5°	<p>Sole: (Tourstage logo), TOURSTAGE, ViQCL(line under iQ), (loft), (circular weight insert), Turbo Rubber Insert (circular weight insert) Back: BRIDGESTONE Crown: (V alignment mark)  View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage ViQ CL HR	12.5°,13.5°	<p>Sole: (Tourstage logo), TOURSTAGE, ViQ (line under iQ),</p>

			CL, (loft), (circular weight insert) Heel: BRIDGESTONE Crown: (V alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage ViQD	9.5°,10.5°	Sole: (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert (circular weight insert) Back: BRIDGESTONE Toe: (Bridgestone logo), TOURSTAGE ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage ViQD	9.5°,10.5°, HT	Sole: (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert (circular weight insert) Back: BRIDGESTONE Toe: (Bridgestone logo), TOURSTAGE Crown: (V alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage ViQD 425	9.5°,10.5°, HT	Sole: (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert, 425 (circular weight insert) Back: BRIDGESTONE Toe: (Bridgestone logo), TOURSTAGE Crown: (V alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage ViQD 450	9.5°,10.5°, HT	Sole: (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert, 450 (circular weight insert) Back: BRIDGESTONE Toe: (Bridgestone logo), TOURSTAGE Crown: (V alignment mark) ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage X-DRIVE Type 350	8°,9°,10° (click "view photo" for conforming version)	Sole: (logo), TOURSTAGE, X-DRIVE, TYPE 350, FORGED TITANIUM, 1 (loft), BRIDGESTONE Toe: (Bridgestone logo) TOURSTAGE ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage X-DRIVE 405 HR	9,5°,10.5°	Sole: (logo), TOURSTAGE, X-DRIVE, (loft), TURBO RUBBER TECHNOLOGY Back: (square)405(square)HR Heel: BRIDGESTONE Toe: (logo) TOURSTAGE ☐ View Photo
Bridgestone Sports Co., Ltd.	Tourstage Whopper	10°,11°	Sole: TOURSTAGE, Whopper, 420, BRIDGESTONE, DRIVER, (loft), (V mark) ☐ View Photo
Callaway Golf	Big Bertha+	9°,10°,11°,13°	Sole: Callaway, Golf, (curved

Company		(click "view photo" for conforming version)	line), BIG BERTHA+, (line), TITANIUM, (curved line), (loft) Crown: (Chevron logo alignment mark) View Photo
Callaway Golf Company	Big Bertha 460 HT (Version 2)	13° (click "view photo" for conforming version)	Sole: (loft)HT, (Chevron logo), BIG BERTHA (with raised dash in the B in "BIG"), (line), 460 Back: Callaway, GOLF Crown: (Chevron logo alignment mark) View Photo
Callaway Golf Company	E.R.C Forged Titanium Driver	8°,9°,10°,11°,12°	Sole: E • R • C, FORGED, TITANIUM, (loft), Callaway, GOLF Crown: (alignment mark) View Photo
Callaway Golf Company	E.R.C II Forged Titanium Driver	7°,8°,9°,10°,11°,12°,12.5°	Sole: BIG BERTHA, E •, R •, C, II, (loft), FORGED TITANIUM, VARIABLE FACE THICKNESS, Callaway, GOLF Crown: (alignment mark) View Photo
Callaway Golf Company	E.R.C II Pro Spec	8.5°,9.5°,10.5°	Sole: BIG BERTHA, E •, R •, C, II, (loft), PRO SPEC, FORGED TITANIUM, VARIABLE FACE THICKNESS, Callaway, GOLF Crown: (alignment mark) View Photo
Callaway Golf Company	E.R.C.+ Fusion	8.5°,9.5°,9°,10°,11°,12°,13° (click "view photo" for conforming version)	Sole: E •R •C+, (line), FUSION, (line), (loft), (Chevron logo insert) Back: Callaway, Golf Crown: (arrow alignment mark) View Photo
Callaway Golf Company	E.R.C. Hot	9°,10°,11°,13°	Sole: (curved line), E•R•C, HOT, (loft), (Chevron logo insert) Toe: (line), FUSION, (line), TECHNOLOGY Back: Callaway, Golf Crown: (Chevron logo alignment mark) View Photo
Callaway Golf Company	E.R.C. Hot HS	8°,9°	Sole: (curved line), E•R•C, HOT, (loft)HS, (Chevron logo insert), (triangle)HS(triangle) Toe: (line), FUSION, (line), TECHNOLOGY Back: Callaway, Golf Crown: (Chevron logo alignment mark) View Photo
Callaway Golf Company	Great Big Bertha II+	8.5°,9°,9.5°,10°,11°,12° (click "view photo" for conforming version)	Sole: (loft), GREAT BIG BERTHA, (two curved lines)II+(two lines), driver Back: (plastic insert with Callaway, Golf) Crown: (arrow alignment mark) View Photo
Callaway Golf Company	Great Big Bertha II+	9°,10°,11°	Sole: (loft), GREAT BIG BERTHA, (two curved lines)II+(two lines),

	415	(click "view photo" for conforming version)	415, driver Back: (plastic insert with Callaway, Golf) Crown: (arrow alignment mark) <input type="checkbox"/> View Photo
Callaway Golf Company	Great Big Bertha II+đ	9°,10°,11°,13°	Sole: (vertical curved line), (loft), GREAT BIG BERTHA, (two curved lines)II(two lines), +đ Back: (plastic insert with Callaway, Golf) Crown: (arrow alignment mark) <input type="checkbox"/> View Photo
Callaway Golf Company	X-18	9°,10°,12°	Sole: Callaway, Golf, X18, (loft) Toe: CORRECT ADDRESS, (logo), SOLE DESIGN Back: (line), FUSION, (line), TECHNOLOGY Face: X Crown: (Chevron logo alignment mark) <input type="checkbox"/> View Photo
Central Kosho Co., Ltd.	Spalding Tour Edition 385 Ti	10.5°	Sole: 1 (loft), TOUR EDITION, (five lines), 385Ti, TOUR WAVE, CONTROL, (oval insert with TUNGSTEN BALANCE) Toe: (S and laurel logo), SPALDING <input type="checkbox"/> View Photo
Chujyo Co., Ltd.	Kamui 320	10°	Sole: KAMUI, (320 within flag graphic), DIRECTION & DISTANCE, 1 Toe: (flag graphic), TITAN FORGED, LOFT (loft) <input type="checkbox"/> View Photo
Chujyo Co., Ltd.	Kamui Pro Model 320	11°	Sole: KAMUI, PRO MODEL, (320 within flag logo), DIRECTION & DISTANCE, 1 Toe: (flag logo), TITAN FORGED, LOFT (loft) <input type="checkbox"/> View Photo
Chujyo Co., Ltd.	Kamui Pro V	10°	Sole: KAMUI, PRO V, (flag logo), KAMUI, 1 Toe: (flag logo), TITAN FORGED, LOFT (loft) <input type="checkbox"/> View Photo
Chujyo Co., Ltd.	Typhoonpro 380	10°,11°	Sole: Typhoonpro, 380, DRIVER (loft), (flag graphic), KAMUI, TITANIUM <input type="checkbox"/> View Photo
Cleveland Golf	HiBore XL	10.5° (RH Only) (click "view photo" for conforming versions)	Sole: HiBORE (w/ line) (w/ raised dot present anywhere in "H" only), XL, (Cleveland Golf logo in oval), (loft) Toe: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY Crown: (Cleveland logo alignment mark) Heel: HIGH MOI Face: (w/ or w/o "FFP") <input type="checkbox"/> View Photo

Cleveland Golf	Launcher NC-X	9.5°,10.5°	Sole: CLEVELAND, (line), LAUNCHER, NC-X, (Cleveland Golf logo), (loft), TITANIUM View Photo
Cleveland Golf	Launcher 460 NC-X	9.5°,10.5°	Sole: CLEVELAND, (line), LAUNCHER, 460 · NC-X, (Cleveland Golf logo), (loft), TITANIUM View Photo
Cleveland Golf	Launcher 460 NC-X2	9.5°,10.5°	Sole: CLEVELAND, (line), LAUNCHER ·, NC-X2, (Cleveland Golf logo), (loft), TITANIUM Toe: LAUNCHER 460 View Photo
Climb Free, Inc.	Birth Blackbullet 350	N/A	Sole: BLACKBULLET, PREMIUM EDITION, HIGH PRESSURE β TITANIUM, (line), 10-2-3, BIRTH, (Climb Free logo), ALWAYS CHARGE, 350 View Photo
Climb Free, Inc.	Birth Blackbullet 385	N/A	Sole: BLACKBULLET, PREMIUM EDITION, HIGH GRADE COR β TITANIUM, (line), 10-2-3, BIRTH, (Climb Free logo), ALWAYS CHARGE, 385, SHAPE View Photo
Crews Co., Ltd.	C-Drive 390	9.5°,10.5°	Sole: Forged SP700, Titanium Face, C-Drive (with D in circle) 390, (line) (loft), (line), (line), CREWS, (line), CREWS WAVE View Photo
Crews Co., Ltd.	C-Drive 415	9°,10°,11°	Sole: C-DRIVE 415, THE FINEST TUNE, 415 FORGED, CREWS GOLF, (loft) Toe: (C logo) View Photo
DAB Korea Co., Ltd.	DK-310	9°,10.5°,11°,12°	Sole: 1 (loft), (teradactyl graphic), DABKO, DK-310, HANDWORK TITANIUM, TI-15.3.3.3 Crown: (arrow alignment mark) View Photo
DAB Korea Co., Ltd.	Powerplus PP-340	10°	Sole: 1 (loft), Flow Weight System, (POWER overlapping PLUS), PP-340, Sense Power, Ti-15.3.3.3 Crown: (arrow alignment mark) View Photo
DAB Korea Co., Ltd.	Powerplus DK-360	7°,9°,10°	Sole: DK-360, (teradactyl graphic), (POWER overlapping PLUS), TI-15.3.3.3, (loft) Crown: (arrow alignment mark) View Photo
DAB Korea Co., Ltd.	DK-360	9°,10.5°,11°,12°	Sole: DK-360, (teradactyl graphic), DABKO, TI-15.3.3.3, (loft) Crown: (arrow alignment mark) View Photo
Daiwa Corporation	G-3 901 Ti-01	12°	Sole: 1 12, G-3 901 Ti-01, COMBINED, TITANIUM




			STRUCTURES, Daiwa ☐ View Photo
Daiwa Seiko, Inc.	G3 Hyper Titan	10.5°, 12°	Sole: 1 (loft), G-3, <i>HYPER, TITAN, COMBINED, TITANIUM STRUCTURES, Daiwa</i> Toe: HYPER TITANIUM , 15Mo-5Zr-3Al, &, 15V-3Al ☐ View Photo
Daiwa Seiko, Inc.	G3 902 Ti-01	12°	Sole: 1 (loft), <i>G-3 902 Ti-01, COMBINED, TITANIUM STRUCTURES, Daiwa</i> Toe: HYPER, TITANIUM, 15Mo-5Zr-3Al & 15V-3Al Crown: (diamond shape alignment mark) ☐ View Photo
Daiwa Seiko, Inc.	G3 SUPERDRIVE	9.5°,10.5°,11.5°	Sole: G-3, SUPERDRIVE, TITANIUM, PERFECT IMPACT, SYSTEM, COR-VERSION II, 1, (loft in octagon) Toe: Z I, ZONEIMPACT, EXPLOSIVE DISTANCE Crown: (V alignment mark) ☐ View Photo
Daiwa Seiko, Inc.	ONOFF (Standard & Lady)	8°,9°,10°,11°,12° (click "view photo" for conforming version)	Sole: ONOFF, INNER KICK HEAD &, HYPER TITANIUM PLUS II, 1 (in circle), (loft), DRIVER Toe: (square O logo) Heel: Daiwa (upside down) ☐ View Photo
Daiwa Seiko, Inc.	ONOFF	9°,10°,11°	Sole: ONOFF, SUPER POWER CROWN, PLASMA HYPER TITANIUM, FULL TITAN, (three circles with "V", "S", "L" connected with three lines forming triangle), BALANCE, (loft in recessed circle) Toe: (square O logo) ☐ View Photo
Daiwa Seiko, Inc.	ONOFF 380	9°,10°,11°	Sole: ONOFF, INNER KICK HEAD, LOFT: (loft)/VOLUME:380 Toe: (square O logo) Heel: Daiwa ☐ View Photo
Daiwa Seiko, Inc.	ONOFF 390	9°,10°	Sole: ONOFF, SWING ASSIST SYSTEM, VOLUME: 390/LOFT: (loft), (plus symbol) Toe: (square O logo) Back: TRIPTONIC DESIGN ☐ View Photo
Daiwa Seiko, Inc.	ONOFF 410	9°,10°,11°	Sole: ONOFF, SWING ASSIST SYSTEM, VOLUME: 410/LOFT: (loft), (1 in circle) Toe: (square O logo) Back: TRIPTONIC DESIGN ☐ View Photo
Daiwa Seiko, Inc.	GIII 400	12.5°	Sole: GIII: 1, SWING ASSIST SYSTEM, LASER HYPER TITANIUM, LOFT: (loft) VOLUME: 400 ☐ View Photo

Daiwa Seiko, Inc.	GIII 420	10°,11.5°	Sole: GIII: 1, SWING ASSIST SYSTEM, LASER HYPER TITANIUM, LOFT: (loft) VOLUME: 420 View Photo
David Corporation	DV 420	8.5°,9.5°	Sole: 1 (loft), TVC TITANIUM, DV 420, DAVID Toe: DV View Photo
Day Golf Co., Inc.	Drive Tru	N/A	Sole: DAY GOLF Co., (Drive (r), (line), 1 Tru in oval), MINDEN, NV, PAT. PEND. Crown: (line alignment mark) View Photo
Delta Golf Co., Ltd.	Newbery Navarone 500c.c.	8°	Sole: (loft), NEWBERY , (line) SINCE 1919(line), NAVARONE, Rebound-Forged-Titanium , 500c.c. Toe: SUPER BETA FORGED, TITANIUM View Photo
Diamond Tour Golf	Turner ZR-02	10°	Sole: (loft), TURNER (β in circle), (underline), ZR-02, SP700 Crown: (Beta symbol alignment mark) View Photo
Diamond Tour Golf	Turner 508	10°	Sole: (loft), 508, (double line), TURNER Crown: (Beta symbol alignment mark) View Photo
Diamond Tour Golf	Grand Hawk II	8°,10°	Sole: Driver, GRAND HAWK, (three lines) II (three lines), (loft) Back: (GRAND \blacklozenge HAWK in oval insert) Crown: (GH alignment mark) View Photo
Diamond Tour Golf	Grand Hawk II	8°,9°,10°,11°	Sole: Driver, GRAND HAWK, (three lines) II (three lines), (loft) Back: (GRAND \blacklozenge HAWK in oval insert) Toe: GH Crown: (GH alignment mark) View Photo
Diamond Tour Golf	Pit Viper PV/427	8°,9°,10°,11°	Sole: PIT (line), VIPER, PV/427, (loft), (six circles) Face: β Crown: (P alignment mark) View Photo
Diamond Tour Golf	Pit Viper PV/427	10°,11°,12°	Sole: PIT (line), VIPER, PV/427, (loft), (six circles) Face: β Toe: PV Crown: (P alignment mark) View Photo
Diamond Tour Golf	MDD 872	8.5°,9.5°,11.5°,12.5° (click "view photo" for	Sole: (loft), MDD, (arrow graphic), 872 Titanium Face: 15-3-3-3

		conforming version)	Crown: (P alignment mark) ☐ View Photo
Diamond Tour Golf	Tour Lies Red Streak	10.5°,11.5°	Sole: Tour Lies, (curved segmented line), RED STREAK, (curved segmented line), (loft), 460cc Forged Beta Titanium Face: 15-3-3-3 ☐ View Photo
Dogleg Right Corp.	HOG DRIVER by Impact Golf Tech.	10°	Sole: FORGED BETA Ti, (loft), HOG , XTL, DRIVER , Dogleg Right / IMPACT GT Crown: (alignment mark) ☐ View Photo
Dono Sports Corp.	DynaCube Fo-Gen	8.5°	Sole: (D logo), Dono golf, (loft) ☐ View Photo
Dynacraft Golf	Blue Steel	10°	Sole: micro-fine, 17-4, stainless, BLUESTEEL, TS229 YS188TM, 1, (loft), Dynacraft(registered trademark symbol) Crown: (alignment mark) ☐ View Photo
Eon Sports Co., Ltd.	Fairline ZX	10.5°	Sole: FAIRLINE ZX, ZX, NEW AERMET & SUPER ALLOY, 1, EON, SPORTS Back: (loft) Toe: (Fairline logo) ☐ View Photo
Eon Sports Co., Ltd.	Fairline Pride	9°,10°,11.5°	Sole: FAIRLINE, PRIDE, (line), VCT CROWN TECHNOLOGY Back: Loft (loft), Gravity Control System, GR 20° Toe: P, Fairline, Pride (Fairline logo) ☐ View Photo
Eon Sports Co., Ltd.	Giga XF 420	9.5°	Sole: EON SPORTS, GIGA, XF420 PRO, 1 (loft), T-VC TITAN Back: (golfer logo), NATURAL TURN, D.E.S.I.G.N ☐ View Photo
Epon Golf Co., Ltd.	Technity 415ZR H·COR	9.5°,10.5	Sole: TECHNITY, (line), Forged, TITAN, 415, H·COR Toe: EPON, ENDO PRODUCT Heel: SUPER AS ROLL, (loft) H·COR ☐ View Photo
Epon Golf Co., Ltd.	Technity 460ZR H·COR	9.5°,10.5°	Sole: TECHNITY, (line), Forged TITAN, 460, H·COR Toe: EPON, ENDO PRODUCT Heel: SUPER AS ROLL, (loft) H·COR ☐ View Photo
Equiam Ltd.	Lynx Parallax (Version 2)	9°,10°	Sole: Lynx, PARALLAX, 460cc, (3 curved lines), 1 (loft), TITANIUM CARBON Toe: (Lynx logo) Heel: DRAW BIAS Crown: (alignment mark) ☐ View Photo
Fine Earth	Nano Power	9°	Sole: (NANO-POWER through

Enterprises, Ltd.	Pro		diamond graphic), (loft), PRO Back: (line) 1 (line) Toe: (Thin Power, Distance Formula® through diamond shape) View Photo
Foresta Co., Ltd.	Lancaster Super XD1	9.5°	Sole: (L logo), LANCASTER, SUPER, XD1 Toe: (L logo)(loft) View Photo
Foresta Co., Ltd.	Gear Max GMX-500	9.5°	Sole: GEAR MAX, (line), FORGED TITANIUM, (5 blocks), 1 (loft), GMX-500, (5 blocks) View Photo
Foresta Co., Ltd.	PX 380V	10.5°	Sole: PX, (line) 380V, (loft) 1, TITANIUM, W-TUNABLE WEIGHT Toe: PX, (line) 380V Crown: (alignment mark) View Photo
Foresta Co., Ltd.	Tommy Armour Royal Scot	9.5°,10.5°	Sole: Royal (underlined) (RS logo) Scot (underlined), Tommy Armour, (logo), (loft) (underlined) Toe: (logo) View Photo
Foresta Co., Ltd.	Tommy Armour Torch IP	9.5°,10.5°	Sole: Tommy Armour, (logo), TORCH, (SUPER HARD COATED through IP), (loft) Toe: (logo) Heel: (logo) 460 View Photo
Fourteen Co., Ltd.	Deep One JC	10.5°	Sole: DEEP-ONE SHAPE, for the Discerning Golfer, JC, (circular weight insert) Back: FOURTEEN, (feather graphic) View Photo
Foresta Co., Ltd.	Tear Drop Cyber Crown	8°,9°,10°	Sole: TearDrop, cyber crown, (line), VER.2, (TG on weight screw), 1 (loft), -DAT55G TI FULL BODY. Back: cyber crown, (line) Toe: C2 View Photo
Golf Coast/Vector Golf	Seahawk II	10.5° (click "view photo" for conforming version)	Sole: (loft), SEAHAWK, (line), II, BETA , (line), TI, 10-2-3 Face: Beta-Ti, 2.65 Crown: ("S" alignment mark) View Photo
Golf Coast/Vector Golf	Vector III	6.5°,9° (click "view photo" for conforming version)	Sole: (loft), VECTOR III, (line under ECTO), 444, BETA, (line under ET), TI, 15, 3-3-3 Face: Beta-Ti, 2.7 Crown: ("V" alignment mark) View Photo
Golf Coast/Vector Golf	Vector III	9° ° (click "view photo" for conforming version)	Sole: (loft), VECTOR III, (line under ECTO), 444, BETA, (line under ET), TI, 15, 3-3-3 Face: Beta-Ti, 2.8 Crown: ("V" alignment mark) View Photo

Golf Hands	Delight 460 Ultimate Distance	5°	Sole: 1 (loft), Delight 460, Ultimate Distance , B2041 Titan Face, Four-Piece Body, 6AL4V Ti- Body View Photo
Golf Planner Co., Ltd.	Tour Concept 380 Step Sole Design	9°,10°	Sole: TOUR CONCEPT, STEP SOLE, DESIGN (in rectangle), FOR GRAVITY, CONTROL, 1, Loft. (loft) Toe: (logo) Back: SP-700 TITANIUM FACE, 6AL-4V TITANIUM BODY, 380SS (in plastic insert) View Photo
Golf Planner Co., Ltd.	Tour Concept 360 Round Sole Design	9°,10°	Sole: 1 LOFT. (loft), TOUR CONCEPT, ROUND SOLE DESIGN Toe: (logo) Back: SP-700 TITANIUM FACE, 6AL-4V TITANIUM BODY, 360RS (in plastic insert) View Photo
Golf Planner Co., Ltd.	Tobunda 400	10°,11°	Sole: (logo), TOBUNDA, 400, SP-700, TITANIUM, 1 (loft) Toe: 400, TOBUNDA Crown: (logo alignment mark) View Photo
Golf System Co., Ltd	SEAD	9°	Sole: SEAD, 450cc FORGED TITANIUM, SAMSUNG GOLF, EQUIPMENT, ANALYZER &, DATA SYSTEM, 1 (loft), DAT600C Ti Face View Photo
Golfsmith International, Inc.	Killer Bee Stinger	10°	Sole: 1 (loft), Killer Bee, (bee graphic), Stinger, HOT•FACE, Beta, TITANIUM, 360CC Toe: Does Not Conform, USGA, App.II,5a Crown: (alignment mark) View Photo
Golfsmith International, Inc.	Killer Bee Stinger 500	10.5°	Sole: (curved line), (loft in hexagon), BETA TITANIUM, (bee graphic), ((line), STINGER, 500 over honeycomb pattern graphic), KillerBee Toe: Does Not Conform, USGA, App.II,5a, (curved line) Crown: (arrow alignment mark) View Photo
Golfsmith International, Inc.	Lynx Parallax Tour	8.5°,9.5°,10.5°	Sole: (Lynx logo), Lynx PARALLAX, TOUR , Hi-C.O.R., BETA TITANIUM, DRIVER, (loft), (swing speed) MPH Face: BTi Crown: Lynx View Photo
Golfsmith International, Inc.	Snake Eyes AerMet(tm)	9°,10°,11°	Sole: CMF, SNAKE (Snake Eyes logo), EYES , 1, (loft) AerMet (tm), (line), CMF, (swing speed) MPH Toe: AerMet, (line), FORGED FACE View Photo

Golfsmith International, Inc.	Snake Eyes Fire Forged	9°,10°,11°	<p>Sole: SNAKE (Snake Eyes logo), EYES, 1, FIRE, FORGED, (loft), TITANIUM, 320cc CMF, (swing speed) MPH</p> <p>Face: (Snake Eyes logo)</p> <p>Toe: FIRE, (arc), Beta, Ti, (arc), FORGED</p> <p> View Photo</p>
Golfsmith International, Inc.	Snake Eyes Viper COR+	10° (click "view photo" for conforming version)	<p>Sole: 430cc, SNAKE EYES (Snake Eyes logo), VIPER, TITANIUM, (loft), COR+</p> <p>Face: COR+</p> <p>Toe: (semi-circle) Beta, FORGED, Ti (semi-circle) Heel: Does Not Conform, USGA, App. II, 5a, (semi-circle)</p> <p>Crown: (Snake eyes logo alignment arrow)</p> <p> View Photo</p>
Golfstore Group AB	TS Pro MX-12	9°,10.5°,12°,14°	<p>Sole: (loft), (ts logo), PRO, (arrow) DUAL TECH (arrow), TITANIUM, 425cc</p> <p>Back: MX12</p> <p> View Photo</p>
Golfwell Inc.	TOUR PRO FORMA BETA TI 300cc	N/A	<p>Sole: TOUR, PRO FORMA, ••••, (line), ••••, 1, (line), (logo), BETA TI, 300 CC</p> <p>Face: Ti 15-3</p> <p>Crown: (alignment arrow)</p> <p> View Photo</p>
Golfwell Inc.	TPF BETA Ti 300cc	10.5°	<p>Sole: TPF, ••••, (line), ••••, 1, (line), BETA Ti, 300 CC</p> <p>Face: Ti 15-3</p> <p>Crown: (recessed oval)</p> <p> View Photo</p>
Golfwell Inc.	TPF MCOR	N/A	<p>Sole: Beta Ti, •, TPF, MCOR, 1,</p> <p>Face: Ti 15-3 (two horizontal punchmarks)</p> <p>Crown: (alignment mark)</p> <p> View Photo</p>
Golfwell Inc.	TPF MCOR	N/A	<p>Sole: Beta Ti, •, TPF, MCOR, 1,</p> <p>Face: Ti 15-3 (two vertical punchmarks)</p> <p>Crown: (alignment mark)</p> <p> View Photo</p>
Golfwell Inc.	TPF MCOR	N/A	<p>Sole: Beta Ti, •, TPF, MCOR, 1,</p> <p>Face: Ti 15-3</p> <p>Crown: (alignment mark)</p> <p> View Photo</p>
Golfwell Inc.	TPF MCOR Offset	N/A	<p>Sole: Beta Ti, •, TPF, MCOR, 1,</p> <p>Face: Ti 15-3</p> <p>Crown: (alignment mark)</p> <p> View Photo</p>
Golfwell Inc.	TPF MCOR 365cc	N/A	<p>Sole: Beta Ti, •, TPF, MCOR, 1, 365cc</p> <p>Face: Ti 15-3 (two horizontal punchmarks)</p> <p>Crown: (alignment mark)</p> <p> View Photo</p>
Golfwell Inc.	TPF MCOR 365cc	N/A	<p>Sole: Beta Ti, •, TPF, MCOR, 1, 365cc, (single weight port on</p>

			sole) Face: Ti 15-3 (two horizontal punchmarks) Crown: (alignment mark) ☐ View Photo
GolfWorks	Maltby Mr. Big 505	10°	Sole: (three triangles logo), MR. BIG , 505, MALTBY(underline) ☐ View Photo
GolfWorks	Maltby EGO II	10.5° (click "view photo" for conforming version)	Sole: MALTBY, (line), EGO II, TI-451 BETA TITANIUM, 1, (loft) • 410cc Back: BLACK BOX METAL Crown: (triangle alignment mark) ☐ View Photo
GolfWorks	Maltby Xstreamliner II	10°	Sole: (three triangles logo), Xstreamliner (over X in a circle graphic), (loft) • 400cc, BETA•TITANIUM Face: SP700 Crown: (II alignment mark) ☐ View Photo
GolfWorks	Maltby CT 250	6°	Sole: MALTBY, (line), CT(line through CT)250, TUNGSTEN WEIGHTED, BETA TITANIUM•450cc, (loft) Back: (three weight screws) Crown: (CT alignment mark) ☐ View Photo
GolfWorks	Maltby CT 250 LD	6°	Sole: MALTBY, (line), CT(line through CT)250, TUNGSTEN WEIGHTED, BETA TITANIUM•450cc, (loft)-LD Back: (three weight screws) Crown: (CT alignment mark) ☐ View Photo
Grand Golf Company, LLC	Grand Golf	N/A	Sole: (G logo), GRAND®, Golf Back: (fixed weight protusion w/ G logo and three dots) ☐ View Photo
Grand Prix Co. Ltd.	GP415 US. Spec	9°	Sole: (airplane logo), TARGET, ((THEROOPTHEROOPTHEROOP in outer circle), (ic in inner circle)), GP415, US. Spec (loft), GRAND PRIX TECHNOLOGY Toe: GRAND PRIX Crown: (alignment mark) ☐ View Photo
Hal Sports	HSPB DR-9	N/A	Sole: HSPB SYSTEM DR-9, Center of Gravity, 1=HSPB, (line), 100, (seven in line circles increasing in diameter, the last circle containing a circle within a triangle graphic), The Power Balance, Theory of Relativity, (squigly line) ☐ View Photo
Hana Co. Ltd.	Solium 450	8°	Sole: Solium, 450, (loft), POWER OF BRAMA DRIVER Back: Brama ☐ View Photo

Harima Golf Co.	Max Carry 395	10.5°	Sole: MAX CARRY , DRIVER OF DREAM, (M in broken circle logo), Ti 1 (loft), 395, TWIN SCREW OF AERODYNAMICS ☐ View Photo
Hireko Golf	Acer Super Titan 400	10°	Sole: ACER, SUPER, TITAN, 400 , (loft) Crown: (alignment mark) ☐ View Photo
Hireko Golf	Acer Super Titan 500	8.5°, 10°	Sole: (loft), SUPER, TITAN, 500, ULTRASIZED, ACER Crown: (dot alignment mark) ☐ View Photo
Hireko Golf	Acer XP 450	10.5°, 15°	Sole: (loft), XP, TITANIUM, 450cc Back: (acer over two curved lines on rectangular insert) Crown: (dot alignment mark) ☐ View Photo
Hireko Golf	Catapult 450	10.5°	Sole: TITANIUM, (underline), CATAPULT , (underline), 450cc , (loft) Crown: (dot alignment mark) ☐ View Photo
Hireko Golf	Impex Plus 450	8.5°	Sole: Impex, PLUS, FORGED, TITANIUM, 450cc, 1,(loft) ☐ View Photo
Hireko Golf	Power Play Select 5000 450cc	8.5°,9°,10.5°,12°,14°	Sole: Tungsten, (loft), Power Play, SELECT, 5000 , (line), HI-C.O.R. TITANIUM, 450CC Crown: (dot alignment mark) ☐ View Photo
Hireko Golf	Power Play Select 5000 400 GTI Edition	9°	Sole: (loft), SELECT, 5000 , (line), GTI EDITION, TI 400, (curved insert w/ four ball bearings) Toe: Power Play Crown: (dot alignment mark) ☐ View Photo
Hireko Golf	Impex Megasize 2 Offset	10.5°,12°	Sole: OFFSET TITANIUM, Impex, MEGASIZE 2, 430cc, 1, (loft) ☐ View Photo
Hireko Golf	Synchron Medic Ti	10.5°	Sole: (loft), ((three mock Allen screws), SYNCHRON, MEDIC, (three mock Allen screws) in rectangular outline), Ti ☐ View Photo
Hireko Golf	Synchron Revolver 455cc	10.5°	Sole: (bell-shaped outlines), (loft), Revolver, TITANIUM, 455cc, (SYNCHRON on rectangular insert) Crown: (dot alignment mark) ☐ View Photo
Hirota Golf Co. Ltd.	El Nino 460 RX	8.5°,10.5°	Sole: (loft), (El Nino 460 RX, Deep Impact over RX graphic), Power Impact Body Toe: (logo) Heel: PROFESSIONAL ATHLETE, SUPER COMPOSITE, RX Face: 10-2-3 βTi

			View Photo
Hirota Golf Co. Ltd.	Yokozuna	10.5°	Sole: 1 (loft), Yoko, Zuna, FORGED β -TITANIUM View Photo
Honma Golf	Beres MG711 460	9°,10°	Sole: -460-, (loft), MG711 (box outline r), (line), BERES, (three lines (B logo in circle) three lines on oval insert), -(star(s))- Toe: SAKATA STUDIO, HONMA, MADE IN JAPAN(triangle) Crown: (alignment mark) View Photo
Honma Golf	Beres MG712 460	9°,10°	Sole: BERES, MG712, (box outline r), -460-, (five punch marks), FORGED TITANIUM Toe: HONMA (w/ mole in O logo), MADE IN JAPAN, SAKATA Back: (B logo), (star(s)), (loft) Crown: (alignment mark) View Photo
Honma Golf	Twin Marks 400	9°,10°,11°	Sole: 1 (loft), 400, AMAZING SPEC , H(mole in O logo)NMA, TITANIUM, (large Honma logo) (small Honma logo), Twin Marks Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: Hiro Honma (signature), TWIN MARKS 400 View Photo
Honma Golf	Twin Marks 450	10°	Sole: 450, AMAZING SPEC , H (mole in O logo)NMA, TITANIUM 1 (loft), (large Honma logo) (small Honma logo), Twin Marks Toe: H(mole in O logo)NMA, (triangle)FORGED FACE (triangle), JV Crown: (logo alignment mark) View Photo
Honma Golf	Twin Marks 380RF-C	11.5°,13°	Sole: 380RF-C, TITANIUM, 1 (loft), HONMA (w/ mole in O logo), (recessed circular weight insert), ((small Honma logo) (large Honma logo), Twin Marks on rounded triangular insert), (recessed circular weight insert) Toe: HONMA (w/ mole in O logo), (triangle)FORGED FACE (triangle) Crown: (H within a C logo alignment mark) View Photo
Honma Golf	Twin Marks 400RF Carbonium	10.5°	Sole: (H logo in circle) Twin Marks (H logo in circle), ((400RF in small oval), CARBONIUM in large oval), 1 (loft), H(mole in O logo)NMA Crown: (logo alignment mark) View Photo
Honma Golf	Twin Marks 808RF Carbonium	9.5°,10.5°,11.5°	Sole: Twin Marks, ((808RF in small oval), Carbonium in large oval), 1, (loft), H(mole in O logo)

			NMA
			<p>Hosel: MADE IN JAPAN, SAKATA</p> <p>Back: (H within a C logo, HONMA GOLF in oval, carbonium on oval insert)</p> <p>Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p>Crown: (logo alignment mark) <input type="checkbox"/> View Photo</p>
Honma Golf	Twin Marks 400RF Ti	8°,9°,10° (click "view photo" for conforming version)	<p>Sole: 400RF, TITANIUM, 1 (loft), H(mole in O logo)NMA, (large Honma logo) (small Honma logo), Twin Marks</p> <p>Toe: H(mole in O logo)NMA, (triangle)FORGED FACE (triangle), JV <input type="checkbox"/> View Photo</p>
Honma Golf	Twin Marks 420RF Ti	8°,9°,10°,11° (click "view photo" for conforming version)	<p>Sole: 420RF, TITANIUM, 1 (loft), H(mole in O logo)NMA, (curved line), ((large Honma logo) (small Honma logo), Twin Marks in oval insert)</p> <p>Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p>Crown: (H within a C alignment mark) <input type="checkbox"/> View Photo</p>
Honma Golf	Twin Marks 425RF Ti	9°,10° (click "view photo" for conforming version)	<p>Sole: 425RF, TITANIUM, 1 (loft), H(mole in O logo)NMA, (recessed circular weight), (waved line), ((small Honma logo) (large Honma logo), Twin Marks on rounded triangular insert)</p> <p>Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p>Crown: (H within a C alignment mark) <input type="checkbox"/> View Photo</p>
Honma Golf	Twin Marks 460RF Amazing Spec	9°,10°	<p>Sole: 460RF, TITANIUM, AMAZING SPEC, H(mole in O logo)NMA, (curved line), (H logo in circular insert) Twin Marks (H logo in circular insert), (r in recessed parallelogram), (loft)</p> <p>Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p>Crown: (H within a C alignment mark) <input type="checkbox"/> View Photo</p>
Honma Golf	Twin Marks 355 Ti	9.5°,10.5° (click "view photo" for conforming version)	<p>Sole: H(mole in O logo)NMA, (triangle) 355Ti (triangle), (large Honma logo insert)(small Honma logo insert), 1, (loft)</p> <p>Toe: H(mole in O logo)NMA, (triangle)FORGED FACE (triangle), JV</p> <p>Crown: Hiro Honma (signature), TWIN MARKS 355 <input type="checkbox"/> View Photo</p>
Honma Golf	Twin Marks 360 Ti	9.5°,10.5°,11.5° (click "view photo" for conforming version)	<p>Sole: 1, Twin Marks, 360Ti, (triangle) (loft) (triangle), H (mole in O logo)NMA, (two recessed circles), (circular</p>

			weight insert with three punchmarks), (two recessed circles) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) View Photo
Honma Golf	Twin Marks 380 Ti	9.5°,10.5°,11.5° (click "view photo" for conforming version)	Sole: (Honma logo)Twin Marks (Honma logo), 380, TITANIUM, 1 (loft), H(mole in O logo)NMA, (circular weight insert with three punch marks) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (H within a C alignment mark) View Photo
Honma Golf	Twin Marks 385 Ti	9°,10° (click "view photo" for conforming version)	Sole: ACCELERATE, (Honma logo)Twin Marks(Honma logo), 1 (loft), 385 Ti, H(mole in O logo) NMA, (circular weight insert with three punch marks) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (three ellipses alignment mark) View Photo
Honma Golf	Twin Marks 385-S Ti	9°,10°,11° (click "view photo" for conforming version)	Sole: ACCELERATE, (Honma logo)Twin Marks(Honma logo), 1 (loft), -S-, 385 Ti, H(mole in O logo)NMA, (circular weight insert with three punch marks) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (three ellipses alignment mark) View Photo
Honma Golf	Twin Marks 400 Ti	9.5°,10.5°,11.5°	Sole: 1, Twin Marks, 400Ti, (triangle) (loft) (triangle), H (mole in O logo)NMA, (two recessed circles), (circular weight insert with three punchmarks), (two recessed circles) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) View Photo
Honma Golf	Twin Marks 500 Ti	10°	Sole: (recessed oval insert with (large Honma logo)(small Honma logo), Twin Marks), AMAZING SPEC, 500 Ti, (triangle)(loft) (triangle), H(mole in O logo),NMA Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (recessed alignment mark) View Photo
Honma Golf	Twin Marks MG410 Carbonium	10.5°,11.5°	Sole: Twin Marks, (recessed curve) MG410 (recessed curve), Carbonium (over box outlining r), (loft), AMAZING SPEC, H (mole in O logo)NMA Back: (triangle)FORGED FACE (triangle), MADE IN JAPAN,









				<p>SAKATA</p> <p>Toe: (H within a C logo, HONMA GOLF, Carbonium within recessed oval insert)</p> <p>Crown: (H within a C alignment mark)</p> <p>☐ View Photo</p>
Honma Golf	Twin Marks MG460	9°,10°		<p>Sole: ((H in circle)(H in circle), Twin Marks, AMAZING SPEC in oval insert), MG460(underlined) RF(line through box outlining r), (loft), H(mole in the hole logo) NMA</p> <p>Hosel: MADE IN JAPAN, SAKATA</p> <p>Toe: H(mole in the hole logo) NMA, (triangle) TITANIUM (triangle)</p> <p>Crown: (H within a C alignment mark)</p> <p>☐ View Photo</p>
Impact Golf Technologies	Carrera II Turbo	10.5°		<p>Sole: 2 PIECE FORGED, BETA TITANIUM, 1, 10.5°, CARRERA II, TURBO., DIAVAPORE, BY, CITIZEN</p> <p>Crown: (C logo)</p> <p>☐ View Photo</p>
I N C Yamamoto Pro Golf Shop	Blue Power 425 (Version 2)	10°		<p>Sole: 1 (425 over 1), (loft), (7 stars), BLUE (star logo), POWER, SP-700, TITANIUM</p> <p>Toe: (star logo)</p> <p>☐ View Photo</p>
Infiniti Golf, Inc.	Infiniti PFD 455	9°,10.5°		<p>Sole: (loft), INFINITI (logo superimposed), PFD455, PROGRESSIVE, FACE, DIMENSION, PAT PEND</p> <p>Crown: (alignment mark)</p> <p>☐ View Photo</p>
Infiniti Golf, Inc.	Big'UN 475	10°		<p>Sole: (loft) BIG'UN, POWER DRIVE 475, FORGED, TITANIUM</p> <p>Crown: (alignment mark)</p> <p>☐ View Photo</p>
Infiniti Golf, Inc.	Macho Express 400	8°	(click "view photo" for conforming version)	<p>Sole: MACHO®, EXPRESS, TITANIUM, (two curved lines), TRAMPOLINE EFFECT, (loft no.) LoftX 4, 400CC</p> <p>☐ View Photo</p>
Insignia Golf, Inc.	F.L.Y	10°		<p>Sole: (segmented curve graphic), 1 (loft), INSIGNIA (w/ flag graphic on I), GOLF, F·L·Y, Beta TITANIUM, (segmented curve graphic)</p> <p>Crown: (dot alignment mark)</p> <p>☐ View Photo</p>
International Sports CNS , Inc.	US Tour X-400 Earth Ti	9.5°		<p>Sole: HYPER, (loft), US TOUR, (line), X (cross in circle symbol) 400 (three horizontal lines), EARTH TI</p> <p>Face: β-Ti</p> <p>☐ View Photo</p>
International	US Tour X-400	10.5°		<p>Sole: HYPER, (loft), US TOUR,</p>

Sports CNS , Inc.	Earth Ti-J	(click "view photo" for conforming version)	(line), X (cross in circle symbol) 400 (three horizontal lines), EARTH TI-J Face: β -Ti <input type="checkbox"/> View Photo
Isolation Co., Ltd.	IS-400	9°,10°,11°,12°	Sole: IS-400, 1, (line with two dots), ISOLATION, Can strike be a good shot!, FORGED TITANIUM, MADE IN JAPAN <input type="checkbox"/> View Photo
Jazz Golf Equipment, Inc.	P2W Ball Launcher 500cc	8°,9°,10°	Sole: JAZZ, P2W (loft), (three horizontal dashes) BALL LAUNCHER (three horizontal dashes), SP700, (Jazz logo in triangle), PLAY TO WIN, = 500CC =, www.jazzgolf.com Crown: (Jazz logo alignment mark) <input type="checkbox"/> View Photo
Jazz Golf Equipment, Inc.	Bear Cat	10°	Sole: HOT FORGED, TITANIUM, Bear (four lines) Cat, JAZZ, 1, (loft), (line), LOFT, (three punchmarks in circle), (three punchmarks in circle) Crown: (Jazz logo alignment mark) Face: (Jazz logo) <input type="checkbox"/> View Photo
John Letters Golf Ltd.	T-Series	10.5°	Sole: (loft), JOHN LETTERS, of Scotland - since 1918, 460cc, T-SERIES Back: TITANIUM Crown: (JL logo alignment mark) <input type="checkbox"/> View Photo
Justick Co., Ltd.	Advantage II Proceed	9°,11°,12.5°	Sole: ADVANTAGE, II, PROCEED (with line through proceed), FOR YOUR NEXT STAGE, JUSTICK, (bird logo), (star) Toe: JUSTICK, (bird logo) <input type="checkbox"/> View Photo
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Trinity Concept 330	11°	Sole: To-Be, ARMA, (line), TRINITY CONCEPT, FORGED TITAN 1, GORILLA, MADE IN JAPAN, 330 Toe: (Gorilla logo) Back: ALL BODY SP-700 <input type="checkbox"/> View Photo
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Trinity Concept 330	9°,10°,11°	Sole: To-Be, ARMA, (line), TRINITY CONCEPT, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 330 Toe: (Gorilla logo) Back: ALL BODY SP-700 <input type="checkbox"/> View Photo
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Trinity Concept 330L	12°,13°	Sole: To-Be, ARMA, (line), TRINITY CONCEPT, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 330L Toe: (Gorilla logo) Back: ALL BODY SP-700 <input type="checkbox"/> View Photo










Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Athlete Version 337G	9°,10°,11°	Sole: To-Be, ARMA, (line), ATHLETE VERSION, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 337-G Toe: (Gorilla logo) Back: ALL BODY SP-700 ☐ View Photo
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Athlete Version 337H	9°	Sole: To-Be, ARMA, (line), ATHLETE VERSION, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 337-H Toe: (Gorilla logo) Back: ALL BODY SP-700 ☐ View Photo
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Athlete Version 337S	9°,10°,11°	Sole: To-Be, ARMA, (line), ATHLETE VERSION, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 337-S Toe: (Gorilla logo) Back: ALL BODY SP-700 ☐ View Photo
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Assoluto Distance 360	9°,10°	Sole: To-Be, ARMA, (line), ASSOLUTO DISTANCE, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 360 Toe: (Gorilla logo) Back: ALL BODY SP-700 ☐ View Photo
Kane Golf Products	Missile Launcher	9°,10°	Sole: 1 (loft), Missile Launcher, CR1023 Titanium, Kanegolf.com ☐ View Photo
Kasco Corporation	DNA AS Model	10.5°,11.5° (click "view photo" for conforming version)	Sole: DNA , (Kasco logo), kasco, Design for New Athletes, AS Model, 1 (loft), S-AGING TITANIUM (in circular insert) Toe: (Kasco logo) ☐ View Photo
Kasco Corporation	Power Tornado	9°,10°,11°,13° (click "view photo" for conforming version)	Sole: 1 (loft), DD-FOUR, POWER TORNADO , S-AGING TITANIUM, (K logo, Kasco in circular insert) ☐ View Photo
Kasco Corporation	Power Tornado D- Max 460	9.5°,10.5	Sole: 1, (loft), POWER TORNADO, (line), D-MAX 460, FIBER TITANIUM Back: (K logo) Kasco, DRIVING BOOSTER ☐ View Photo
Kasco Corporation	K-860	8°,9°,10°,11°	Sole: 1, (K logo), kasco, K-860, (loft), INTENSIFIED TITANIUM, 400cc, (K logo, Kasco in circular insert) ☐ View Photo
Kasco Corporation	TM-01	9°,10°,11° (click "view photo" for conforming version)	Sole: POWER, TORNADO, DRIVER, (Kasco logo)kasco, (loft), TM01 ☐ View Photo
Kasco Corporation	Royal	10°,11° (click "view photo" for conforming version)	Sole: (skewed rectangle with kasco, (◆KASCO◆ROYAL in circular insert), 1, (loft)), (diamond insert with < KASCO

			(KR in circle) ROYAL > ☐ View Photo
Katana Golf USA	Sword 350 Ti	9°,10°,11°	Sole: 1, (loft), SWORD 350 Ti, The Dreamy Distance, AS ROLL FACE, FORGED β TITANIUM Toe: KATANA GOLF, (Katana Golf logo) Face: AS ROLL ☐ View Photo
Katana Golf Co., Ltd.	Sword 855	10°	Sole: SWORD, 855, Slit Sole Technology, (loft) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ☐ View Photo
Katana Golf Co., Ltd.	Sword Izu Type-3	9°	Sole: SWORD, (circular weight insert), IZU, (TYPE-3 in oval), (loft) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ☐ View Photo
Katana Golf Co., Ltd.	Sword Izu Type-5	9°,10°,11°	Sole: SWORD, (circular weight insert), IZU, (TYPE-5 in oval), (loft) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ☐ View Photo
Katana Golf Co., Ltd.	Sword Izu Type-7	9°,10°,11°	Sole: SWORD, (circular weight insert), IZU, (TYPE-7 in oval), (loft) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ☐ View Photo
Katana Golf Co., Ltd.	Sword 870 CTi	9°,10°,11°	Sole: SWORD, 870 CTi, Carbon Composite, Slit Sole Technology, (loft) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ☐ View Photo
Katana Golf Co., Ltd.	RX-5	9.5°,10.5°,11.5°	Sole: RX-5, ((circular weight insert), TUNGSTEN, ADJUST, MODE, (loft) on arrow graphic) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ☐ View Photo
Kawabe Kogyo Co. Ltd.	Abroad 455	N/A	Sole: (3 lines) 455 (3 lines), ABROAD, THE BEST STRIKING, (line), FORGED FACE SP 700 Toe: (A logo), THE BEST STRIKING ☐ View Photo
Kent Graphtec	INTEGRA 400cc	10.5°	Sole: (Integra logo) INTEGRA (r), FORGED TITANIUM, 10.5°, 400CC, 90Ti-6AL-4V Crown: (Integra logo) ☐ View Photo
Kent Sports	Alpha Reaction 400cc	10.5°	Sole: (loft), FORGED TI, (logo), Alpha, Reaction, ACTIVEBETA FACE, 400CC Crown: (alpha symbol alignment mark)

 [View Photo](#)

Kent Sports	Silver Diamond R425	12°	<p>Sole: (circular weight), (loft), SILVER DIAMOND (w/ S in diamond), TITANIUM, R425, (circular weight)</p> <p>Back: (circular weight)</p> <p> View Photo</p>
Keystone, Inc.	Ken's Metalica 405	10.5°	<p>Sole: KEN'S METALICA, 405 (3 circles), LFT FA LIE, (loft), 7137</p> <p>Toe: Ken's Champ</p> <p>Crown: (two curves alignment mark)</p> <p> View Photo</p>
King Par Corporation	Hti 440 (High COR)	8.5°,9.5°	<p>Sole: ORLIMAR, (line), HTI440, ((loft), LOFT, 1 on arrow insert)</p> <p>Face: COR</p> <p> View Photo</p>
Lark Sports Corporation	Optima	10°	<p>Sole: (loft), (three interlocking O's)PTIMA, (line), SPRING FACE SP700, FORGED BETA TITANIUM, 500CC</p> <p> View Photo</p>
LiquidMetal Golf	Professor Johnson 330cc	11°	<p>Sole: PROFESSOR, JOHNSON, (long line), (short line), 330cc, (LM logo), 1 (loft), LIQUIDMETAL, (short line), (long line), PURE ENERGY TRANSFER</p> <p>Toe: (LM logo)</p> <p>Crown: (LM logo alignment mark)</p> <p> View Photo</p>
M K Trading Co Ltd	Revolver 901	10.5°	<p>Sole: Revolver, DISTANCE REVOLUTION, 901, (460cc, (loft) through oval)</p> <p> View Photo</p>
MacGregor Golf Co.	MACTEC NV2 ix400	9°,10°,11°	<p>Sole: •iX400•, NV2, Navigation equipment, (loft), DR 1, Driving one, (line), MacGregor, MACTEC, (circular insert with three punchmarks)</p> <p>Toe: (whirlpool graphic), Driving satisfaction</p> <p> View Photo</p>
MacGregor Golf Co.	MACTEC NVG2 (Japan Model)	9°,10°,11°	<p>Sole: (curved line), (loft), NVG2, Cup Face Technology, HIGH REBOUND VER., MACTECH, MacGregor, (NVG2, DUAL β Ti on insert), (two weight screws)</p> <p>Toe: (weight screw)</p> <p>Hosel: CONFORMING TO R&A SLE, RULE UNTIL 31-12-07 USGA, NON-CONFORMING</p> <p>Heel: (weight screw)</p> <p> View Photo</p>
MacGregor Golf Co.	MACTEC NV3 420	9°,10°,11°	<p>Sole: NV3 420, Dual Tungsten & Quadra, DR 1 (loft), MacGregor, (small circular weight insert) (large circular weight insert), (NV3 420 Driving Force in rectangular insert), MACTEC</p>

			(TEC in rectangle) Toe: (whirlpool graphic), Driving satisfaction, The 3rd Generation ☐ View Photo
MacGregor Golf Co.	MACTEC NVG 435 (JP Version)	9°,10°,11°	Sole: NV JP Model, NVG 435, Quadra Tungsten & Titanium, MACTEC (TEC in rectangle), (loft), DR 1, MacGregor, (large weight screw) (small weight screw), (NVG, Dual β Titanium on rectangular insert) Toe: (weight screw) Heel: (weight screw) ☐ View Photo
Maruman Golf Co., LTD .	Dreadnaught Model-402	10°	Sole: DREADNAUGHT , MODEL- 402 , 1 (loft), (Maruman logo) maruman ☐ View Photo
Maruman Golf Co., LTD .	Majesty Power Head	12°	Sole: MAJESTY, TITANIUM, (Maruman Crest)1., POWER HEAD ,(Maruman Logo) maruman Toe: (Maruman logo), maruman Face: MAJESTY, (crown logo) ☐ View Photo
Maruman Golf Co., LTD .	Majesty 360cc	10.5°,12°	Sole: TITANIUM, MAJESTY, ("MJ" & "SCIENCE AND ART" logo), 1, (Maruman Logo), maruman Toe: THE TOUGHEST, 10-2-3, TITANIUM ☐ View Photo
Maruman Golf Co., LTD .	V-SONIC	10°,11°	Sole: REACTIVE SOLE, TITANIUM 380, 1, V-SONIC, (logo), maruman Toe: Advanced Technology, BRICH840TITAN Crown: (alignment mark) ☐ View Photo
Maruman Golf Co., LTD .	Bigwin X-ZONE	9°,10°,11°	Sole: Bigwin , X- ZONE , (line), MODEL-402, 1, (logo), maruman Toe: LEVI CAST, ("BW" logo), TITANIUM ☐ View Photo
Maruman Golf Co., LTD .	X- ZONE Big-e	10°,11°	Sole: Big-e, LEVICAST TITAN, X-ZONE , MODEL 435, 1, (loft) Crown: (encircled X alignment mark) ☐ View Photo
Maruman Golf Co., LTD .	Exim 360cc	9°	Sole: EXIM, (raised arrowhead in oval, GEAR WITH STYLE in oval), (loft within circle with seven dots around perimeter) Toe: MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN Back: -360- ☐ View Photo
Maruman Golf Co., LTD .	Exim 380cc	10°	Sole: EXIM, (raised arrowhead in oval, GEAR WITH STYLE in oval), (loft within circle with seven dots around perimeter)

				<p>Toe: MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p>Back: -380-</p> <p> View Photo</p>
Maruman Golf Co., LTD .	Exim 400cc	11°		<p>Sole: EXIM, (raised arrowhead in oval, GEAR WITH STYLE in oval), (loft within circle with seven dots around perimeter)</p> <p>Toe: MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p>Back: -400-</p> <p> View Photo</p>
McHenry Metals Golf, Inc.	Tour Pure II 400	8°,9.5°,11.5°		<p>Sole: McHenry, (McHenry logo), METALS, FORGED, TOURPUREII 400, BETA TITANIUM, (loft)</p> <p>Back: POWERRING TECHNOLOGY</p> <p>Crown: (McHenry logo)</p> <p> View Photo</p>
McKenly International, Corp.	XIUS 450	12°		<p>Sole: 1 (loft), XIUS, (line) 450, STRONGER, FORGED β-TITANIUM, (M logo) McKenly</p> <p>Toe: MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p>Back: -400-</p> <p> View Photo</p>
MI Trading Co., LTD (Ishino Golf)	Massgoo 386	9°		<p>Sole: MASSGOO, 1 (loft), ISHINO, GOLF, (TUNGSTEN BALANCE on oval metal insert)</p> <p>Toe: (Ishino logo), MASSGOO 386</p> <p>Back: FORGED β-TITANIUM</p> <p> View Photo</p>
Mitsubishi International, Inc.	Stellar 2000 QTS	10.5°		<p>Sole: STELLAR, (bird logo in circle), 2000, QTS, (loft)</p> <p>Toe: FORGED TITAN</p> <p> View Photo</p>
Miura Giken Co., Ltd.	MD 390 Precious Edition	9°		<p>Sole: MD390, (MG logo), (line), Precious Edition, (line), W.D.D. CONCEPT, (loft) 1</p> <p> View Photo</p>
Mizuno	300E	9°,10°,11°,11.5°		<p>Sole: 1,(loft), STRONG-FORGED-Ti, MIZUNO, CORTECHNO DESIGN, 300E</p> <p>Toe: (Mizuno logo)</p> <p> View Photo</p>
Mizuno	300R	10.5°,12°		<p>Sole: MIZUNO , SUPER, STRONG FORGED, TITANIUM, 300R, VACRA, 15-6-4 , 1, (loft), CORTECHNO DESIGN,</p> <p>Toe: (logo)</p> <p>Face: VACRA</p> <p> View Photo</p>
Mizuno	300 SII 315	8°,9°,10°	(click "view photo" for conforming version)	<p>Sole: (Mizuno logo), 300 SII - C.O.R., TOUR SPIRIT MODEL, STRONG FORGED, TITANIUM, 1 (loft)/315, CORTECHNO DESIGN</p> <p>Toe: (Mizuno logo)</p> <p> View Photo</p>
Mizuno	300 SII 330	8°,9°,10°, 11°,12°		<p>Sole: (Mizuno logo), 300 SII - C.O.R., TOUR SPIRIT MODEL,</p>

		(click "view photo" for conforming version)	STRONG FORGED, TITANIUM, 1 (loft)/330, CORTECHNO DESIGN Toe: (Mizuno logo) ☐ View Photo
Mizuno	300 SII 380	9°,10° (click "view photo" for conforming version)	Sole: (Mizuno logo), 300 SII - C.O.R., TOUR SPIRIT MODEL, 1 (loft)/380, CORTECHNO DESIGN Toe: (Mizuno logo) ☐ View Photo
Mizuno	300 SII E-Type 330	8°,9°,10°,11.5°,12.5°	Sole: (Mizuno logo), 300 SII - EType, STRONG FORGED, TITANIUM, 1 (loft)/330, CORTECH DESIGN Back: MIZUNO Toe: (Mizuno logo) ☐ View Photo
Mizuno	BlueFire	8°,9°,10°,11°	Sole: 1 (loft), MIZUNO , BlueFire, (line), (BlueFire logo), FORGED TITANIUM Back: MIZUNO Crown: (Mizuno alignment mark) ☐ View Photo
Mizuno	BlueFire 350cc	9°,10°,11°	Sole: 1 (loft), MIZUNO , BlueFire, (line), 350, (BlueFire logo), FORGED TITANIUM Back: MIZUNO Crown: (Mizuno alignment mark) ☐ View Photo
Mizuno	Grand Monarch Royal Cresta	11°	Sole: Royal Cresta, (1 in circle), GRAND MONARCH, (insert) Face: (sword and arrow shield graphic) Crown: (Royal Cresta superimposed over crest graphic) ☐ View Photo
Mizuno	Intage TiMg iE	10°,11°	Sole: intage, TiMg iE (in oval), (loft) 1 Toe: (M logo in oval) Crown: intage ☐ View Photo
Mizuno	Intage Ti/MG	9°,10°,11°,13.5°	Sole: intage, (line) Ti/Mg, Mizuno (with M logo), (loft) 1 Toe: (M logo) Crown: intage (on rear of crown) ☐ View Photo
Mizuno	Intage X3	10.5°,11.5°,13°	Sole: intage, POWER TRJ X3, (loft) Toe: (M logo) Back: 3D MAGNESIUM CROWN TITANIUM BODY (dot) Be-Ni SOLE Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING Hosel: MIZUNO ☐ View Photo
Mizuno	JPX E300	10°,11°	Sole: JPX, SUPER STRONG,

			FORGED TITANIUM, (10 vertical lines), MIZUNO Toe: (Mizuno M logo) Back: E300, HIGH C.O.R., MODEL, (loft) Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING ☐ View Photo
Mizuno	JPX E300 Ladies	12.5°	Sole: JPX, SUPER STRONG, FORGED TITANIUM, (10 vertical lines), MIZUNO Toe: (Mizuno M logo) Back: E300, HIGH C.O.R., MODEL, (loft) Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING ☐ View Photo
Mizuno	Mode B Ladies	12°	Sole: mode, MODE B POSITION, FORGED β TITANIUM, (line), 1 (loft) Toe: G.F. FORGED Back: MODE, Optimum Design based on, Dynamic Stiffness Hosel: MIZUNO Crown: mode ☐ View Photo
Mizuno	MP-001 C.O.R.	8°,9°,10° (click "view photo" for conforming version)	Sole: (Mizuno M logo), Forged, MP-001, C.O.R., Mizuno, (loft) Toe: Carbon Nano Tube ☐ View Photo
Mizuno	MP-001 C.O.R. T/S	8.5°,9.5°,10.5° (click "view photo" for conforming version)	Sole: (Mizuno M logo), FORGED, MP-001, C.O.R., MIZUNO, (loft) Toe: CARBON NANO TUBE Tube T/S ☐ View Photo
Mizuno	MP-001 C.O.R. TS+	8.5°,9.5°,10.5°	Sole: FORGED, MP-001, C.O.R., TS+, (loft) Toe: CARBON NANO TUBE, (Mizuno M logo) Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING ☐ View Photo
Mizuno	Presage Navigator	10°,13°	Sole: PRESAGE , Navigator, D-D Navigation Design, 1, (loft), MIZUNO Back: FORGED TITANIUM Crown: (alignment mark) ☐ View Photo
Mizuno	Presage Sophia	13°	Sole: (Presage over P graphic), Sophia, 1 (loft (superscript)) Crown: (P alignment mark) ☐ View Photo
Mizuno	T-Zoid Forged Plus 310	9°,10°,11°	Sole: FORGED PLUS , 310, T-ZOID, MIZUNO, 1, (loft), FORGED TITANIUM Crown: T-ZOID (alignment mark) Back: T-ZOID logo, CORTECHNO DESIGN

				View Photo
Mizuno	T-Zoid Forged Plus 350	9.5°,10.5°	Sole: FORGED PLUS , 350, T-ZOID, MIZUNO, 1, (loft), FORGED TITANIUM Crown: T-ZOID (alignment mark) Back: T-ZOID logo, CORTECHNO DESIGN	View Photo
Mizuno	T-Zoid Forged Face	9.5°,10.5°	Sole: FORGED FACE, T-ZOID, (loft), (line) Back: Mizuno (with M logo) Crown: T-ZOID, Titanium (at hosel)	View Photo
Mizuno	T-Zoid	9.5°,10.5°	Sole: T-ZOID (in oval), (loft), (line) Toe: (M logo) Back: (ZOID through T) Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING Hosel: MIZUNO	View Photo
Monark Golf Supply	Hyper Sonic 400	9.5°	Sole: (loft), HYPER SONIC, 400, (line), c.c., MAX C.O.R. Crown: (arrow alignment mark)	View Photo
Monark Golf Supply	V Series 450cc	10.5°	Sole: (loft), ("V Series" on rounded triangle with horizontal lines), 450 cc Crown: (dot alignment mark)	View Photo
Monark Golf Supply	V Series 550cc	10.5°	Sole: (loft), (V Series on rounded triangle with horizontal lines), 550cc Crown: (dot alignment mark)	View Photo
Nakashima Golf	Htec	9.5°,11.5°	Sole: (loft), NAKASHIMA (w/ N logo), Htec, (line), TITANIUM, Pat Pending Back: (N logo) Toe: (Kanji characters) Crown: (N logo alignment mark)	View Photo
Natural Golf Corp.	Tour Hammer 410cc	9° (click "view photo" for conforming version)	Sole: NATURAL, (Natural Golf logo) Golf., TOUR, HAMMER (loft), .83 C.O.R., FORGED, BETA TITANIUM, 410cc Crown: (Natural Golf logo alignment mark)	View Photo
Nike Golf	X-Face 350cc	8°,9.5°,10.5° (click "view photo" for conforming version)	Sole: (Nike logo), (loft) Face: (X merged with FACE)	View Photo
Nike Golf (Japan)	X-Face 380cc	9.5° (click "view photo" for	Sole: 380, (Nike logo), (loft) Face: (segmented grooves)	View Photo









		conforming version)	
Nike Golf (Japan)	X-Face 420cc	9.5°	Sole: 420, (Nike logo), (loft) Face: (segmented grooves) ☐ View Photo
Nike Golf	Ignite+ 380	8.5°,9.5°,10.5° (click "view photo" for conforming version)	Sole: (five punchmarks), 380, (Nike logo), (loft), (five punchmarks) Back: (two punchmarks), (IGNITE+ on rectangular insert), (two punchmarks) Face: 380+ ☐ View Photo
Nike Golf	Ignite+ 410	9.5°,10.5° (click "view photo" for conforming version)	Sole: (five punchmarks), 410, (Nike logo), (loft), (five punchmarks) Back: (two punchmarks), (IGNITE+ on rectangular insert), (two punchmarks) Face: 410+ Crown: (modified I in circle alignment mark) ☐ View Photo
Nike Golf	Ignite+ 460	9.5°,10.5° (click "view photo" for conforming version)	Sole: (five punchmarks), 460, (Nike logo), (loft), (five punchmarks) Back: (two punchmarks), (IGNITE+ on rectangular insert), (two punchmarks) Face: 460+ Crown: (modified I in circle alignment mark) ☐ View Photo
Nike Golf	Ignite+ DFI 395	9.5°,10.5° (click "view photo" for conforming version)	Sole: 395, (Nike logo), (loft), (IGNITE+, (line), DFI on eye-shaped insert) ☐ View Photo
Nike Golf	Ignite+ DFI 460	9.5°,10.5° (click "view photo" for conforming version)	Sole: 460, (Nike logo), (loft), (IGNITE+, (line), DFI on eye-shaped insert) ☐ View Photo
Nike Golf	SQ+ Max 460	9.5°,10.5° (click "view photo" for conforming version)	Sole: (right triangle)460, (loft), SQ+ (Nike logo) Face: nextTI Hosel: (four punchmarks) Crown: (arrow alignment mark) ☐ View Photo
Nike Golf	SQ Sumo2 460 (Version 1)	7.5°,8.5°,9.5°,10.5° (click "view photo" for conforming version)	Sole: (triangle)460, (loft), SQ, (Nike logo), (SQ, sumo2 on trapezoid insert), SUPER MOMENT OF INERTIA Hosel: (four punchmarks) ☐ View Photo
Nike Golf	SQ Sumo2 460 Lucky 13 (Version 1)	13° (click "view photo" for conforming version)	Sole: (triangle)460, LUCKY 13, SQ, (Nike logo), (SQ, sumo2 on trapezoid insert), SUPER MOMENT OF INERTIA Hosel: (four punchmarks) ☐ View Photo
Nikko Bussan Co. Ltd.	Coltess TC380	9.5°,10.5°	Sole: Composite Head, Titan with Carbon, COLTESS, TC380,









			(1 in circle), (loft) ☐ View Photo
Orlimar Golf	Trimetal Hip-Ti 420 COR	9.5°	Sole: (loft), ORLIMAR, TRIMETAL hipTi, 420cc Face: (line) (line), COR, (line) (line) Crown: (O alignment mark) ☐ View Photo
Outlook Sports	Howson GBH Attacker	10.5°	Sole: Howson, (3 lines) GBH (3 lines), ATTACKER, 1, (line),(loft) Face: BETA TI Crown: (O alignment mark) ☐ View Photo
Outlook Sports	Howson GBH Carbon Titanium	10.5°	Sole: Howson, (3 lines) GBH (3 lines), CARBON TITANIUM, 1, (loft), (line), 460CC Face: BETA TI Crown: (O alignment mark) ☐ View Photo
Outlook Sports	Predator	9°,10°	Sole: Lynx, (Lynx logo) PREDATOR (logo), (line), (loft) Back: 460cc-TI Crown: (alignment mark) ☐ View Photo
Perfect Club Co. (The)	Perfect Driver	N/A (click "view photo" for conforming version)	Sole: (PERFECT, (curved line), DRIVER in triangle with 10 lines), 370cc, SP-700, VFT ☐ View Photo
Playing Pro	Spider	9°,10.5°	Sole: (loft), (spider graphic) PLAYING PRO, SPIDER Back: (circular weight screw), (circular weight screw) Crown: (logo alignment mark) ☐ View Photo
PowerBilt Golf	TPS 400	9°,10.5° (click "view photo" for conforming version)	Sole: 1, TPS, (line), 400, (loft), FORGED BETA TITANIUM, (lightning bolt logo) Toe: POWER(lightning bolt logo) BILT Crown: (lightning bolt logo) ☐ View Photo
Ram Golf	Ram QUB3	9.5°,10.5°,12°	Sole: (loft), QUB3 Back: RAM (with R in circle) Heel: 460CC/SQUARE TECHNOLOGY Crown: R (in square) ☐ View Photo
Raven Golf	Tour Spec TM-4300 (LH)	N/A	Sole: RAVEN (w/ V graphic and diamond), TOUR SPEC 1, TM-4300, (five circular weights) Face: SP-700 ☐ View Photo
Razor Golf	John Boy & Billy Big Show	N/A	Sole: 1, (curved line), THE BIG, (curved line), JOHN BOY & BILLY, (curved line), SHOW, (curved line), DUH HUH Back: (recessed circular weight), (recessed circular weight) Toe: Engineered by, Razor (w/ "o" golf ball graphic), (curved

				graphic), PLAY THE EDGE, Golf (w/ tm in "G") Face: Beta Ti ☐ View Photo
Royaltee Golf	BT23	9.5°,11.5°		Sole: BT23, BETA TITANIUM, (Cadillac logo on circular insert), Royaltee, 1(loft), 420CC Crown: (R logo alignment mark) ☐ View Photo
Saso	MR ² Square Pro	10.5° (click "view photo" for conforming version)		Sole: mr ² , (line), square, PRO, (Saso logo), SASO, 1, (I= $\int\int\int\Delta mr^2 mx my mz$ through 1), (loft) ☐ View Photo
Seiko S-Yard Co., Ltd.	S-Yard T9	10°, 11°		Sole: S-YARD, DRIVER, T9, -(loft)- Crown: (arrow alignment mark) ☐ View Photo
Seiko S-Yard Co., Ltd.	S-Yard T9 BL	10°		Sole: T9 BL, DRIVER, S-YARD 1, Forged Titanium, -(loft)- ☐ View Photo
Seiko S-Yard Co., Ltd.	S-Yard T9 FAO.5	9°, 10° (click "view photo" for conforming version)		Sole: S-YARD, DRIVER, T9, FAO.5, Forged Titanium, -(loft)- Crown: (arrow alignment mark) ☐ View Photo
Seiko S-Yard Co., Ltd.	S-Yard TX-1	9°,10°,11° (click "view photo" for conforming version)		Sole: TX-1, DRIVER, S-YARD, FORGED TITANIUM, LOFT (loft) Crown: (arrow alignment mark) ☐ View Photo
Seiko S-Yard Co., Ltd.	S-Yard TX-2	9°,10°,11° (click "view photo" for conforming version)		Sole: TX-2, DRIVER, S-YARD, FORGED TITANIUM, LOFT (loft) Crown: (arrow alignment mark) ☐ View Photo
Seiko S-Yard Co., Ltd.	S-Yard Exelight	10.5°,13°		Sole: Exelight, DRIVER, Nano-Technology, Titanium, (Tungsten in oval), (circular weight insert), (S-YARD on oval insert), (circular weight insert) Toe: (S logo) Crown: (alignment mark) ☐ View Photo
Slazenger Golf	K1 Speed	10° (click "view photo" for conforming version)		Sole: (Slazenger logo), Slazenger, K1, SPEED, KNIFE, technology Toe: HRC FORGED TA4, 460, CC, TITANIUM Back: (loft) Face: K1 ☐ View Photo
Slazenger Golf	K1 Speed (Ladies)	12° (click "view photo" for conforming version)		Sole: (Slazenger logo), Slazenger, K1, SPEED, KNIFE, technology Toe: HRC FORGED TA4, 460, CC, TITANIUM Back: (loft) Face: K1 ☐ View Photo
Sigma Golf (UK), Ltd.	PGA Pro Collection	10.5°		Sole: HCF, PGA, Pro, 1, Collection, (line), B-Titanium, (loft)








			Crown: (alignment mark) ☐ View Photo
Sigma Golf (UK), Ltd.	Power Play System Q Tri-Port	9°,10.5°,12°	Sole: 460cc (loft), SYSTEM, Q, TRI-PORT Toe: Power Play, FADE Heel: DRAW Face: TI460 Crown: (alignment mark) ☐ View Photo
SMT Golf	455 Deep Bore	4°,5° (click "view photo" for conforming version)	Sole: (loft), ((455, DEEP BORE, SMT) over unfinished sideways broken D graphic), VACUUM FORGED β TITANIUM ☐ View Photo
SMT Golf	455 Deep Bore	4° (click "view photo" for conforming version)	Sole: (loft), ((455, DEEP BORE, SMT) over unfinished sideways broken D graphic), VACUUM FORGED β TITANIUM Toe: 384, (YDS in vertical alignment), (WORLD CHAMPION in banner), LONG DRIVE ☐ View Photo
Sonartec, Inc.	Royal Collection Super CV B.B.D Type-H	7°,8°,9°,10° (click "view photo" for conforming version)	Sole: SUPER CV, B.B.D, <<Type-H>>, ROYAL COLLECTION, 1, WORLDWIDE, PATENTED, (loft) ☐ View Photo
Sports Network Pte Ltd	Slazenger Tour Select TS 858	10.5°	Sole: 1, (loft), 460CC, TOUR SELECT, TS858, (panther logo), (line), Slazenger, (line) Face: Beta Ti Crown: (panther logo alignment mark) ☐ View Photo
Stadium AB	DT 893	9.5°,11°	Sole: 4D, (3 lines)(4 dots)(3 lines), DT893, (loft) Toe: (line) 460 (line) Back: (TPT in hexagon) ☐ View Photo
Straight 8 Golf	Straight 8 500cc	9°	Sole: (loft), STRAIGHT 8, O.G.S. TECHNOLOGY, FORGED TITANIUM ☐ View Photo
Sumitomo Rubber Industries, Ltd./SRI Sports	Dunlop XXIO Prime AX-Sole	10°,11.5°	Sole: XXIO, -PRIME-, (loft), FORGED, β Ti-Face 1, AX-SOLE Toe: (triangle insert), Digital, Impact, (line), DUNLOP Crown: (arrow alignment mark) ☐ View Photo
Sumitomo Rubber Industries, Ltd./SRI Sports	Dunlop XXIO Prime Impact Power Face (Heavyweight)	10.5°,11.5°	Sole: TITANIUM, XXIO, -PRIME-, DRIVER (loft) Toe: (oval insert), IMPACT, POWER, FACE Crown: (arrow alignment mark) ☐ View Photo
Sumitomo Rubber Industries, Ltd./SRI Sports	Dunlop XXIO Prime Impact Power Face (Lightweight)	10.5°,11.5°	Sole: TITANIUM, XXIO, -PRIME-, DRIVER (loft). Toe: (oval insert), IMPACT, POWER, FACE Crown: (arrow alignment mark)

 [View Photo](#)

Sumitomo Rubber Industries, Ltd./SRI Sports	XXIO Prime Impact Power Body	10.5°,11.5°	<p>Sole: DIGITAL COMPOSITE, XXIO, -PRIME-, DRIVER (loft), (IMPACT POWER BODY on eye-shaped insert)</p> <p>Toe: (DIGITAL, IMPACT, (two dots) on oval insert)</p> <p>Back: TITANIUM+Mg+CFRP</p> <p>Crown: (arrow alignment mark)</p> <p> View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Twin AX-Sole XXIO	8°,9°,10°,11°,12° (click "view photo" for conforming version)	<p>Sole: TWIN, AX-SOLE, XXIO, 1, (loft), TITANIUM</p> <p>Toe: (oval insert), IMPACT, POWER, FACE</p> <p>Crown: (arrow alignment mark)</p> <p> View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Twin AX-Sole XXIO Tour Model	8°,9°,10° (click "view photo" for conforming version)	<p>Sole: TWIN, AX-SOLE, XXIO, 1, (loft), TITANIUM.</p> <p>Toe: (oval insert), IMPACT, POWER, FACE</p> <p> View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	XXIO Impact Power Body	8°,9°,10°,11°,12° (click "view photo" for conforming version)	<p>Sole: XXIO, IMPACT POWER BODY (through ellipse graphic), (loft), 1, (three punchmarks) (DIGITAL IMPACT, (two raised dots) on rounded triangular insert) (three punchmarks)</p> <p>Face: (no score lines in the center)</p> <p>Toe: XXIO, (line) BREAKTHROUGH (line), FOR FUTURE OF GOLF</p> <p>Crown: (arrow alignment mark)</p> <p> View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	XXIO Hard Spec Impact Power Body	8°,9°,10°	<p>Sole: XXIO, IMPACT POWER BODY (through ellipse graphic), (loft), 1, (three punchmarks) (DIGITAL IMPACT, (two raised dots) on rounded triangular insert) (three punchmarks)</p> <p>Toe: XXIO, (line) BREAKTHROUGH (line), FOR FUTURE OF GOLF</p> <p> View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-201	8°,9°,10° (click "view photo" for conforming version)	<p>Sole: (loft), 1, SRIXON, (line under S), W-201, -SP700 FACE-, TRAJECTORY CONTROL</p> <p>Toe: Srixon, (line under S)</p> <p> View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-302	7.5°,8.5°,9.5°,10.5° (click "view photo" for conforming version)	<p>Sole: SRIXON, (line under S), W-302, (loft), TRAJECTORY CONTROL, TITANIUM</p> <p>Toe: Srixon, (line under S)</p> <p>Heel: COR exceeding .83</p> <p> View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-403 AD	9.5°,10.5°,11.5° (click "view" photo for conforming version)	<p>Sole: SRIXON, (line under S), W-403, AD, 1, (loft)</p> <p>Back: TITANIUM, ACCURACY, & DISTANCE</p> <p>Toe: Srixon, (line under S)</p> <p> View Photo</p>

Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-404	8.5°,9.5°,10.5° (click "view photo" for conforming version)	Sole: TRAJECTORY CONTROL, SRIXON, (line under S), W-404, (loft), TITANIUM Toe: Srixon, (line under S)  View Photo
Sumitomo Rubber Industries, Ltd./SRI Sports	Hi-Brid CF 1	9°,10°,11°,12°	Sole: TITANIUM 1 (loft), (curved line), (logo in oval), HI-BRID, - CF 1- Toe: (three triangles in recessed triangle insert), ARCH, BULGE, (line), DESIGN Crown: (arrow alignment mark)  View Photo
Sumitomo Rubber Industries, Ltd./SRI Sports	Hi-Brid Adforce	9°,10°,11°,12°	Sole: HI-BRID, ADFORCE, (loft) 1, IMPACT POWER BODY, (DIGITAL IMPACT, (seven curved lines) on eye-shaped insert) Toe: (eye-shaped logo), HI-BRID, (line), WIDE SWEET AREA DESIGN Back: TUNGSTEN (circular weight insert) WEIGHT Crown: (arrow alignment mark)  View Photo
Sun Valley Golf	White Gold 380cc	9°,10.5°,12°	Sole: (loft), β -TI 1, SVG, WHITE, GOLD Crown: (arrow and dot alignment mark)  View Photo
Swing Sync, USA	Swing Sync	10.5° (click "view photo" for conforming version)	Sole: Beta Ti, Face, Swing , (recessed spoked wheel graphic) Sync , SINGLE FREQUENCY, SYSTEM, (loft), LOFT Crown: (arrow and dot alignment mark)  View Photo
Synergy Golf International, Inc.	MT-360	8.5°,9.5°	Sole: (Synergy logo), SYNERGY, MT 360 , SP-700 Titanium Face: (Synergy logo) (loft), MWCL FACE Toe: (swinging golfer graphic) TOPPOINT®, (line) Crown: (swinging golfer graphic)  View Photo
TaylorMade Golf Co.	R300	7.5°,8.5°,9.5° (click "view photo" for conforming version)	Sole: TaylorMade (with Taylor Made logo T), (line), R300 Ti, (loft) Crown: (TaylorMade logo alignment mark)  View Photo
TaylorMade Golf Co.	R320	8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	Sole: TaylorMade (with Taylor Made logo T), (line), R320 Ti, (loft) Crown: (TaylorMade logo alignment mark)  View Photo
TaylorMade Golf Co.	R360	8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	Sole: TaylorMade (with Taylor Made logo T), (line), R360 Ti, (loft) Crown: (TaylorMade logo alignment mark)

 [View Photo](#)











TaylorMade Golf Co.	R300 Tour	8.5°,9.5° (click "view photo" for conforming version)	Sole: TOUR, TaylorMade (with Taylor Made logo T), (line), R300 Ti, (loft) Crown: (TaylorMade logo alignment mark)  View Photo
TaylorMade Golf Co.	R320 Tour	8.5°,9.5° (click "view photo" for conforming version)	Sole: TOUR, TaylorMade (with Taylor Made logo T), (line), R320 Ti, (loft) Crown: (TaylorMade logo alignment mark)  View Photo
TaylorMade Golf Co.	R510	7.5°,8.5°,9.5°,10.5° (click "view photo" for conforming version)	Sole: R510 , (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM  View Photo
TaylorMade Golf Co.	R540	7.5°,8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	Sole: R540 , (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM  View Photo
TaylorMade Golf Co.	R580	7.5°,8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	Sole: R580 , (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM  View Photo
TaylorMade Golf Co.	R360 XD	8.5°,9.5°,10.5°,11.5° (click "view photo" for conforming version)	Sole: TaylorMade (with Taylor Made logo T), (line), R360 XD , (loft) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM  View Photo
TaylorMade Golf Co.	R540 XD	8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	Sole: R540 XD , (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM  View Photo
TaylorMade Golf Co.	R580 XD	8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	Sole: R580 XD , (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts)

		conforming version)	<p>Face: (no score lines in the center)</p> <p>Crown: (TaylorMade logo alignment mark)</p> <p>Toe: TITANIUM</p> <p>View Photo</p>
TaylorMade Golf Co.	Burner 860	8.5°,9.5°,10.5°	<p>Sole: TaylorMade (with Taylor Made logo T), BurneR, (line), 860, (loft), TI</p> <p>Face: (no score lines in the center)</p> <p>Crown: (TaylorMade logo alignment mark)</p> <p>View Photo</p>
TaylorMade Golf Co.	XR-03	8.5°,9.5°,10.5°,11.5°,12.5°	<p>Sole: (loft),(Taylor-Made logo T), (line), XR-03</p> <p>View Photo</p>
TaylorMade Golf Co.	XR-05	8.5°,9.5°,10.5°,11.5°,12.5°	<p>Sole: (loft), XR•05, (T logo surrounded by six dots within four-sided crescent insert)</p> <p>View Photo</p>
TaylorMade Golf Co.	XR-05 Special Edition	9.5°,10.5°,11.5°	<p>Sole: (loft), XR•05, (T logo surrounded by six dots within four-sided crescent insert)</p> <p>Toe: Special Edition (in script)</p> <p>View Photo</p>
TaylorMade Golf Co.	XR-05 Cti	8.5°,9.5°,10.5°,11.5°	<p>Sole: (loft), XR•05, Cti, (T logo surrounded by six dots within four-sided crescent insert)</p> <p>Toe: TITANIUM, (line with two horizontal lines at each end), COMPOSITE</p> <p>View Photo</p>
TaylorMade Golf Co.	r7 Quad	7.5°,8.5°,9.5°,10.5°,11.5° (click "view photo" for conforming version)	<p>Sole: r7 quad, (line), TaylorMade (with Taylor Made logo T)</p> <p>Back: (loft)</p> <p>Face: Max</p> <p>Crown: (alignment mark)</p> <p>Toe: TITANIUM</p> <p>View Photo</p>
TaylorMade Golf Co.	r7 XR	9.5°,10.5°,11.5°	<p>Sole: r7, TaylorMade (with T logo), (weight insert) (XR on insert) (weight insert)</p> <p>Toe: TITANIUM</p> <p>Heel: (loft)</p> <p>Face: Max</p> <p>Crown: (alignment mark)</p> <p>Toe: TITANIUM</p> <p>View Photo</p>
TaylorMade Golf Co.	r7 XR (Ladies)	13°,11.5°,15°	<p>Sole: r7, TaylorMade (with TaylorMade T logo), (weight insert) (XR on insert) (weight insert)</p> <p>Heel: (loft)</p> <p>Face: Max</p> <p>Crown: (alignment mark)</p> <p>Toe: TITANIUM</p> <p>View Photo</p>
Team Yoshimura Co.	Tour Project W-One	10°	<p>Sole: (W-ONE, COMPOSITE, COMPOSITE in circle), (line in</p>










			circle)), TOUR PROJECT, (line), TITANIUM & CARBON, (1 in circle) View Photo
Tiger Sports, Inc.	Integra SooLong II	7.5°,9°, 10.5°,12°,14°	Sole: INTEGRA, SOOOLONG, II, BI-FACE TECHNOLOGY, US PATENT:465535, 1 (loft), β-TI View Photo
Tom Wishon Golf Technology	515 GRT 395cc	11°	Sole: (loft), (line), 515 GRT, (line), 395cc, 0 ROLL, TECHNOLOGY, Wishon, Golf Face: βTI View Photo
Tom Wishon Golf Technology	525 GRT 460cc	11°	Sole: (loft), (line), 525 GRT, (line), 460cc, GRT FACE, TECHNOLOGY, Wishon, Golf Toe: (Wishon logo), MILLED CROWN View Photo
Tom Wishon Golf Technology	730 CL 400 High Launch	N/A	Sole: 730 CL, (line), High Launch, DRIVER, 400cc, Titanium, Wishon, Golf Toe: (Wishon Golf logo) Crown: (triangle and line alignment mark) View Photo
Tom Wishon Golf Technology	949 MC 460 High Launch	N/A	Sole: HIGH LAUNCH, (line), 949 MC, (line), 460cc, Wishon, Golf Toe: (Wishon Golf logo), MILLED CROWN Crown: (triangle and line alignment mark) View Photo
Toppoint Corporation	MXX	10.5°	Sole: (loft), MXX, DAT 55G (+ in box), 460cc Back: X Toe: MXX Face: Beta Ti Crown: MXX View Photo
Tour Edge Golf	Bazooka 350 Ji High C.O.R.	8°,9°,10°,11°	Sole: (golf club logo) Tour/Edge, (line), (loft), BAZ(+ over O)OKA, (line), FORGED BETA Ti, 350 Ji, HIGH C.O.R. .86 Toe: (Tour Edge logo) Crown: (Tour Edge logo alignment mark) View Photo
Tour Golf Products	TOURWOOD Beta TITANIUM	9°	Sole: TOURWOOD, 400, Beta, TITANIUM, 1 (loft) View Photo
Tour Golf Products	TOURWOOD SWBII	9°	Sole: 520cc, SWBII , TOURWOOD, (loft), STRENGTH · ELASTICITY, SP700 View Photo
Traditional Sports Ltd.	JM 410 Force	10.5°	Sole: (JM 410 Force, (line), C-Face Technology over JM media blast), 1 (loft), β-TITANIUM Toe: JM Face: 15-3-3-3 View Photo

Trophy Sports	TF 505	8°, 10°	Sole: TF 505 SERIES, TRAMPOLINE FACE, (omega symbol)TITANIUM, (loft) ☐ View Photo
Trophy Sports	Integra SoooLong 450R	4°,6°,9°,10.5° (click "view photo" for conforming version)	Sole: INTEGRA, S(three "O" gauge graphics)LONG, β-TITANIUM, 450R, 1 (loft) ☐ View Photo
Trophy Sports	Integra SoooLong 450R	6°,7.5°	Sole: INTEGRA, S(three "O" gauge graphics)LONG, β-TITANIUM, 450R, US PATENT:465535, 1 (loft) Toe: INTEGRA ☐ View Photo
Trophy Sports	Integra Tour 450cc	9°,10°,12°	Sole: TOUR, (obtuse triangle with two lines), β-Ti, 450CC, (five mock Phillips screws), (loft) Crown: (arrow and dot alignment mark) ☐ View Photo
TruPath Golf	BAD BOY 400cc	10°	Sole: BAD BOY , (Bad Boy logo), SERIES , (loft), FORGED TITANIUM 400CC Toe: TruPath Golf ☐ View Photo
USP Brands, Ltd.	Progen Full Bore 2.3 375cc	12°	Sole: (logo), TITANIUM, PROGEN, full bore 2.3, (loft), 375cc Crown: (alignment mark) ☐ View Photo
USP Brands, Ltd.	Progen Full Bore 2.3 375cc Offset	10.5°	Sole: (logo), TITANIUM, PROGEN, full bore 2.3, offset, (loft), 375cc Crown: (alignment mark) ☐ View Photo
USP Brands, Ltd.	Progen Full Bore 2.3 420cc	10.5°	Sole: (logo), TITANIUM, PROGEN, full bore 2.3, (loft), 420cc Crown: (alignment mark) ☐ View Photo
USP Brands, Ltd.	Progen Full Bore M420 Ti	10.5°,12°	Sole: full bore, M420 (underlined), Ti, (logo), DR 1 (loft) Toe: 15-3-3-3 Beta Titanium Crown: (alignment mark) ☐ View Photo
USP Brands, Ltd.	Progen Full Bore M420 CCT Ti	10.5°	Sole: (logo), full bore, M420 (underlined), CCT, DR 1 (loft) Toe: Carbon Crown Technology Crown: (alignment mark) ☐ View Photo
USP Brands, Ltd.	Progen Full Bore M450 Ti	10.5°	Sole: (logo), full bore, M450 (underlined), Ti, DR 1 (loft) Toe: SP700 Forged Titanium Crown: (alignment mark) ☐ View Photo
US Tour	Titanium 400	9°	Sole: US TOUR (registered trademark symbol), (line), TITANIUM, 400, ASR 920 HYPER TITAN-(loft)

 [View Photo](#)

US Tour	ARK 400	12°	<p>Sole: (loft), (triangular plastic insert with US TOUR), PROVANTAGE, (curved line), US TOUR ARK, (curved line) 400, SUPER TOUR, (vertical line), (three circles with diamonds)</p> <p>Crown: (arrow alignment mark)</p> <p> View Photo</p>
Voco (UK) Ltd.	Bay Hill Plasma	11°,13°	<p>Sole: BAY, (logo), HILL, PLASMA (w/ A in triangle), 1, (loft), 460cc</p> <p>Back: BAY HILL PRO (logo)</p> <p>Crown: (arrow alignment mark)</p> <p> View Photo</p>
Vulcan Golf	Caldera Z460	11°	<p>Sole: (six hexagons), (loft), Forged Beta Titanium, 460cc .830cor, Caldera 460, VULCAN (w/ V flame logo), GOLF, (six hexagons)</p> <p>Back: (two hexagons), (two hexagons)</p> <p>Crown: (V flame logo alignment mark)</p> <p> View Photo</p>
Walk Golf GmbH	Phoenix HSS 380	10.5°	<p>Sole: Forged Titanium, (loft), WALK GOLF, (line), Phoenix, HSS 380, Anti-Torque-Insert</p> <p>Crown: WALK GOLF</p> <p> View Photo</p>
Walk Golf GmbH	Phoenix HSS 380 SL	13°	<p>Sole: Forged Titanium, SL, WALK GOLF, (line), Phoenix, HSS 380, Anti-Torque-Insert</p> <p>Crown: WALK GOLF</p> <p> View Photo</p>
Walk Golf GmbH	Phoenix HSS 380 (LH)	10.5°	<p>Sole: Forged Titanium, (loft), WALK GOLF, (line), Phoenix, HSS 380, Anti-Torque-Insert</p> <p>Crown: WALK GOLF</p> <p> View Photo</p>
Williams Golf	CO ₂ Forged Ti 425	10°	<p>(click "view photo" for conforming version)</p> <p>Sole: (three punchmarks), CO₂, FORGED TITANIUM, 425, (loft), (three punchmarks), ((semi-circle), WILLIAMS, (quarter circle) GOLF in oval insert)</p> <p>Face: 15-3-3-3 TI</p> <p> View Photo</p>
Wilson Japan, Inc.	Deep Red PF 350	9°,10.5°	<p>Sole: PF, 350 (loft), (W logo) Wilson, DEEP RED</p> <p> View Photo</p>
Wilson Japan, Inc.	Deep Red PF 400	9°,10.5°	<p>Sole: PF, 400 (loft), (W logo) Wilson, DEEP RED</p> <p> View Photo</p>
Wilson Japan, Inc.	Deep Red PF 450	9°,10.5°	<p>Sole: PF, 450 (loft), (W logo) Wilson, DEEP RED</p> <p> View Photo</p>
Works Co., Ltd.	Maximax	9°	<p>Sole: MAXIMAX, MAKE A MAXIMUM DISTANCE, FORGED</p>

			TI, T.P.F. +HHP, (Works logo), WORKS, 1 335, (line), (loft) Face: TPF, (line), HHP ☐ View Photo
Works Co., Ltd.	Dyna Super Force TiX Evolution	9.5°	Sole: DYNA, SUPER FORCE, TiX, SPECIALIZED MATERIAL, EVOLUTION, (Works logo), WORKS, 1 (loft) Face: TPF, (line), HHP ☐ View Photo
Works Co., Ltd.	Dyna Extreme 370	9°	Sole: DYNA, EXTREME, TiX, hyper material, (Works logo), WORKS, PRO SPEC, 370, (line), (loft) ☐ View Photo
Works Co., Ltd.	Dyna Exsior	9.5°,10.5°	Sole: ULTRA 1.5, DYNA EXSIOR, FORGED TiX, (Works logo), WORKS, 360, (line), (loft) Back: Inner Back Gravity Toe: (Works logo) Face: TPF, HHP ☐ View Photo
Works Co., Ltd.	Ultimaizer V-01	9.5°,10.5°,11.5°	Sole: Hyper Repulsion 2.1-2.5-2.1, (ULTIMAIZER over V-01 graphic), SP-700 FORGED TI, TPF. + H.H.P., 400/(loft), (triangle)DRIVER(triangle), (Works logo), WORKS Toe: (Works logo) ☐ View Photo
Works Co., Ltd.	Ultimaizer V-01R Pro Spec 460	6°,7°,8°,9°	Sole: powered by DAT55G+, ULTIMAIZER, (two lines)V-01R, (PROSPEC media blast), (Works logo)WORKS, 460/(loft), Triple Tuned Gravity, (circular weight) Back: (circular weight)(R on rectangle insert)(circular weight) Toe: (Works logo)W ☐ View Photo
Yamaha Corporation	Femina 520	13°	Sole: (1 in circle), Femina, 520., Yamaha Face: Hyper_Dual Crown: (alignment mark) ☐ View Photo
Yamaha Corporation	Inpres D	9°,10°,11°	Sole: (recessed circular insert with Yamaha logo), inpres D., (oval hosel insert) Back: FULL-BODY FORGED 15-5-3 β Ti FACE (loft) Toe: YAMAHA ☐ View Photo
Yamaha Corporation	Inpres D Light Version	12°	Sole: (recessed circular insert with Yamaha logo), inpres D., Light Version, (oval hosel insert) Back: FULL-BODY FORGED 15-5-3 β Ti FACE (loft) Toe: YAMAHA ☐ View Photo
Yamaha Corporation	Inpres D Light	12.5°	Sole: inpres D, (line), Light, (oval hosel insert) Back: FULL-BODY FORGED 15-

			5-3 (Yamaha logo) β Ti FACE (loft) Toe: YAMAHA  View Photo
Yamaha Corporation	Inpres D Over 0.870	9°,10°,11°	Sole: inpres D, (line), Over 0.870, (circular weight insert) Back: FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE (loft) Toe: YAMAHA  View Photo
Yamaha Corporation	Inpres D-FX	10°,11°	Sole: inpres D-FX, (line), Over 0.870, (circular weight insert) Back: FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE (loft) Toe: YAMAHA  View Photo
Yamaha Corporation	Inpres D 405	9°,10°,11°	Sole: inpres, Full-Body Forged, 15-5-3 β Ti FACE, 405D Toe: Yamaha Back: (Yamaha logo) Heel: (loft)  View Photo
Yamaha Corporation	Inpres G	9°,10°,11° (click "view photo" for conforming version)	Sole: (recessed circular insert with Yamaha logo), inpres G., (oval hosel insert) Back: OPTIMUM COMPOSITE 2041 β Ti FORGED FACE (loft) Toe: YAMAHA  View Photo
Yamaha Corporation	Inpres GRX	10.5°,11.5°	Sole: inpres, Full-Body Forged, 15-5-3 β Ti FACE, Over .880, GRX Toe: Yamaha Back: (Yamaha logo) Heel: (loft)  View Photo
Yamaha Corporation	Inpres V	9°,10° (click "view photo" for conforming version)	Sole: (recessed circular insert with Yamaha logo), inpres V. Back: FULL-BODY FORGED 15-5-3 β Ti FACE (loft) Toe: YAMAHA  View Photo
Yamaha Corporation	Inpres V Over 0.870	9°,10°	Sole: (recessed circular insert with Yamaha logo), inpres V, (line), Over 0.870 Back: FULL-BODY FORGED 15-5-3 β Ti FACE (loft) Toe: YAMAHA  View Photo
Yamaha Corporation	Inpres V 350	9°,10°	Sole: inpres, Full-Body Forged, 15-5-3 β Ti FACE, 350V Toe: Yamaha Back: (Yamaha logo) Heel: (loft)  View Photo
Yamaha Corporation	Inpres V-MX	10°,10.5°	Sole: inpres V-MX, (line), Over 0.870, (circular weight insert) Back: FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE

			(loft) Toe: YAMAHA ☐ View Photo
Yamaha Corporation	Inpres V-MX 380	9.5°,10.5°	Sole: inpres, Full-Body Forged, 15-5-3 β Ti FACE, 380V-MX Toe: Yamaha Back: (Yamaha logo) Heel: (loft) ☐ View Photo
Yamaha Corporation	SECRET 01	9°,10°,11° (click "view photo" for conforming version)	Sole: SECRET 01, 1, (loft), YAMAHA Face: HYPER-DUAL Crown: (Y alignment mark) ☐ View Photo
Yokohama Rubber Co., Ltd.	Reverse Titanium Type 310	9°	Sole: FORGED 1, β, Titanium •, (line),Reverse, Type 310, DATA WOOD, (line), PRGR Toe: H/S, Head Speed Heel: GROOVE, SURROUND ☐ View Photo
Yokohama Rubber Co., Ltd.	PRGR Speed Titan	9°,10°	Sole: PRGR (logo) SPEED TITAN TR, FORGED, INNER POWER, (line), 1 Toe: PRGR Heel: LOFT (loft), INNER POWER ☐ View Photo
Yokohama Rubber Co., Ltd.	TR 340 Duo	10.5°	Sole: TR 340, (line), Dual Composite, (figure eight), PRGR Toe: Duo, Dual(figure eight) Composite (in figure eight insert) ☐ View Photo
Yokohama Rubber Co., Ltd.	TR 340 Duo	9°, 10.5°	Sole: LOFT (loft),TR 340, (line), Dual Composite, (figure eight), PRGR Toe: Duo, Dual(figure eight) Composite (in figure eight insert) ☐ View Photo
Yokohama Rubber Co., Ltd.	TR-X 370 Duo	9°,10.5°	Sole: LOFT (loft),TR-X 370, (line), Dual Composite, (figure eight), PRGR Toe: Duo, Dual(figure eight) Composite (in figure eight insert) ☐ View Photo
Yokohama Rubber Co., Ltd.	TR-X 370 Duo Soft	11.5°,12.5°	Sole: LOFT (loft),TR-X 370, (line), Dual Composite, (figure eight), PRGR Back: (SOFT-CFRP in oval) Toe: Duo, Dual(figure eight) Composite (in figure eight insert) ☐ View Photo
Yokohama Rubber Co., Ltd.	TR-X 405	9°,10.5°,11.5°,12.5°	Sole: LOFT (loft),TR-X, type 405, (circular weight insert), Dual (figure eight) Composite, PRGR Toe: Duo, Dual(figure eight) Composite, Soft-CFRP ☐ View Photo
Yokohama Rubber Co., Ltd.	TR-X Duo Compression	9°,10.5°,11.5°	Sole: (loft),TR-X Duo, Compression, PRGR Toe: Duo, Compression, 2 Back: Head Compression

			Regular ☐ View Photo
Yokohama Rubber Co., Ltd.	TR Duo Compression	9°,10.5°	Sole: (loft),TR Duo, Compression, PRGR Toe: Duo, (line), Compression, 2 Back: Head Compression Hard ☐ View Photo
Yonex Corporation	REXKING EX	10.5°	Sole: REXKING EX , (Yonex logo), 1 (loft), (circle) YONEX Face: MUSCLE, POWER FACE ☐ View Photo
Yonex Corporation	Cyber Star 3000	9°	Sole: (crescent), 1 (loft), CYBER STAR , 3000, (circle), (Yonex logo), YONEX Face: MUSCLE, POWER FACE Crown: (Yonex logo alignment arrow) ☐ View Photo
Yonex Corporation	Cyber Star 3000	10°	Sole: (crescent), 1 (loft), CYBER STAR , 3000, (Yonex logo), YONEX, (circle) Heel: (line) TUNGSTEN BALANCED (line) Face: MUSCLE, POWER FACE ☐ View Photo
Yonex Corporation	Cyber Star 3000	8.5°	Sole: (crescent), CYBER STAR , 3000, (circle), (Yonex logo), YONEX Heel: (line) TUNGSTEN BALANCED (line), LOFT (loft) Face: MUSCLE, POWER FACE ☐ View Photo
Yonex Corporation	Cyber Star 3000 Spec 360	10° (click "view photo" for conforming version)	Sole: (crescent), 1 (loft), CYBER STAR , 3000, SPEC , 360, (circle), (Yonex logo), YONEX Heel: (line) TUNGSTEN BALANCED (line) Face: MUSCLE, POWER FACE ☐ View Photo
Yonex Corporation	Cyber Star 3000 Spec 400	10°	Sole: 1 (loft), CYBER STAR , 3000, SPEC 400, (circle), (Yonex logo), YONEX Heel: (line)TUNGSTEN BALANCED(line) ☐ View Photo
Yonex Corporation	Cyber Star 5000 Spec 355	10° (click "view photo" for conforming version)	Sole: (loft), (Yonex logo) YONEX, (circle), CYBER STAR , 5000, SPEC 355 ☐ View Photo
Yonex Corporation	Cyber Star 5000 Spec 385	10° (click "view photo" for conforming version)	Sole: (loft), (Yonex logo) YONEX, (circle), CYBER STAR , 5000, SPEC 385 ☐ View Photo
Yonex Corporation	Cyber Star Grand Spec 380	10.5° (click "view photo" for conforming version)	Sole: (crescent), 1 (loft), CYBER STAR , Grand, (circle), (Yonex logo), YONEX Back: SPEC 380 ☐ View Photo

Yonex Corporation	Cyber Star Grand Spec 410	10.5° (click "view photo" for conforming version)	Sole: (crescent), 1 (loft), CYBER STAR , Grand, (circle), (Yonex logo), YONEX Back: SPEC 410 ☐ View Photo
Yonex Corporation	Cyber Star Grand Spec 450	10.5°	Sole: (crescent), 1 (loft), CYBER STAR , Grand, (circle), (Yonex logo), YONEX Back: SPEC 450 ☐ View Photo
Yonex Corporation	Cyber Star Power Brid	10.5°,11.5° (click "view photo" for conforming version)	Sole: CYBERSTAR, POWER BRID, (oval), (loft) Toe: ((Yonex logo) YONEX in recessed rectangle) ☐ View Photo
Yonex Corporation	Cyber Star Power Brid RX	9.5°,10.5°	Sole: CYBERSTAR, POWER BRID, RX (oval), (loft) Toe: ((Yonex logo) YONEX in recessed rectangle) ☐ View Photo
Yonex Corporation	Cyberstar Nanov (Version 1)	11°	Sole: CYBERSTAR, NANOV, 1 (loft) Toe: (logo) Yonex Heel: CONFORMING TO, R&A/USGA RULE ☐ View Photo
Yonex Corporation	V-Mass 400 SE+ Spec 350	9°,10.5°,12° (click "view photo" for conforming version)	Sole: 1 (loft), V-mass, 400SE+, (Yonex logo), YONEX, (arrow graphic), (circular weight insert) Back: SPEC 350cc (space) TITANIUM Toe: (segmented line), (segmented line), (line), MUSCLE•POWER, FACE (line), (segmented line), (segmented line), (line) Crown: (Yonex logo alignment mark) ☐ View Photo
Yonex Corporation	V-Mass 400 SE+ Spec 400	9°,10.5°,12°	Sole: 1 (loft), V-mass, 400SE+, (Yonex logo), YONEX, (arrow graphic), (circular weight insert) Back: SPEC 400cc (space) TITANIUM Toe: (segmented line), (segmented line), (line), MUSCLE•POWER, FACE (line), (segmented line), (segmented line), (line) Crown: (Yonex logo alignment mark) ☐ View Photo
Yonex Corporation	V-Mass 400FL SE+ Spec 350	12°	Sole: 1 (loft), V-mass, 400FL SE+, (Yonex logo), YONEX, (arrow graphic), (circular weight insert) Back: SPEC 350cc (space) TITANIUM Toe: (segmented line), (segmented line), (line), MUSCLE•POWER, FACE (line), (segmented line), (segmented line), (line)

Crown: (Yonex logo alignment mark)
□ [View Photo](#)